

trade guide 2024/25



# CARYSIL

sinks & taps collection

A decorative pattern of overlapping hexagons in light gray, located on the left side of the image.

**CARYSIL**



# welcome to **CARYSIL** sinks & taps collection

The Carysil story started over 20 years ago from humble beginnings in rural Cheshire, England. Now part of the global Carysil group of companies, Carysil finds itself honoured to design, manufacture and supply many of the UK's and the world's leading suppliers of kitchen sinks and taps. Drawing from our groups combined experience, resources, sourcing and state of the art production facilities, we are proud to supply off-the-shelf kitchen sink models, branded sink opportunities and bespoke collections.

As one of the largest global sink producers and the second largest producer of granite sinks, our granite sinks are manufactured with proven German **SCHOCK** technology.

At Carysil Products, we have a wealth of experience working with large manufacturers, distributors, retailers and established brands. Our factories work to exacting standards and adopt an approved environmental management system. We benefit from accreditation including ISO 9001, ISO 14001, BS OHSAS 18001. Carysil is proud to acknowledge that our sink models are all fully CE and UKCA approved for use within UK and Europe and comply to BS EN 13310:2003/ BS EN 13310:2015 standards. Furthermore, a significant part of our kitchen taps offer full WRAS approval. All our sinks are suitable for hot water taps.

We offer a unique opportunity to curate, source and market bespoke ranges of sinks, taps and accessories, whilst retaining excellent margins for our clients in a highly competitive and over distributed market sector.

**BUY WITH CONFIDENCE WITH OUR ACCREDITATIONS & WARRANTIES FROM PEOPLE WHO CARE**



**We are pleased to  
be supporting our  
nominated Charities**



A global charity working in 27 countries to provide clean water, decent toilets and good hygiene. To see how we're supporting WaterAid please visit: [wateraid.org](http://wateraid.org)

**Tommy's**

Together, for every baby


To see how we're supporting Tommy's please visit: [tommys.org](http://tommys.org)

# INTRODUCING OUR 2024/25 **CARYSIL** sink collection

Our Carysil sink collection encompasses all types of sinks. We have an extensive range of quality options to suit all needs including accessories. These range from traditional through to modern and innovative sink offerings. Here at Carysil we pride ourselves on quality and service. If you need any further information, call our sales team today.



stylish sink  
**accessories**





**NEW range of  
belfast sinks &  
traditional taps**  
P88-93 & 122-127

**P86**

## contents

Sinks - What's NEW	04-05
Inset Granite Sinks	06-19
Inset Ceramic Sinks	20-23
Inset Steel Sinks	24-43
Inset Steel Round Bowls	44-45
Undermount/Inset Granite Sinks	46-51
Undermount/Inset Ceramic Sinks	52-57
Undermount/Inset Steel Sinks	58-77
Undermount Steel Sinks	78-85
Belfast Steel Sinks	27
Belfast Ceramic Sinks	86-95
Personalised Sink Branding	96-97
Sink Accessories	98-99
Sink Technical Specifications	132-140
Taps - What's NEW	100-101
PVD Coloured Taps	102-103
Coloured Taps	104-105
Coloured Spray & Pull Out Spray Taps	106-109
Coloured Quilt Taps	110-115
Single Lever Taps	116-117
Twin Lever Taps	118-121
Coloured Traditional Taps	122-127
Filtered Cold Water	128
Plumbing Kits	129
Personalised Tap Branding & Stands	130-131
Tap Technical Specifications	141-143
Warranty, After Sales Support	144-145



# inset granite gavano series • gd100 • gd100L • gd150

The Carysil GAVANO inset sink range offers hard-wearing sinks carefully manufactured using proven German **SCHOCK** technology. Manufactured from 80% Quartz this sleek, minimalistic design hosts no drainer grooves. Available in a choice of contemporary and bold statement colours.

**LIFETIME**  
WARRANTY

All of our sinks are backed with a Lifetime Warranty against genuine material and manufacturing defects\*.



col107 HALF BOWL COLANDER  
SHOWN WITH HS925 TAP IN CHROME



gd150 SHOWN WITH HS705 TAP IN CHROME

gd100 SHOWN WITH HS505 TAP IN CHROME



col108 MAIN BOWL COLANDER SHOWN

col107 HALF BOWL COLANDER



- Half bowl steel colander
- Fits Gavano gd150 sinks



col108 MAIN BOWL COLANDER



- Main bowl steel colander
- Fits all granite sinks





# inset granite gavano series • gd100 • gd100L • gd150

## AVAILABLE COLOURS



WHITE




BLACK



GRAPHITE



SHADOW GREY



BLUE



YELLOW



RED



BROWN



FOSSIL



## gd100

DEEP BOWL GAVANO SINGLE BOWL & DRAINER



- 860mm x 500mm overall size, 200mm "DEEP" bowl
- 80% Quartz content with ULTRA CLEAN anti-bacterial formula
- Can be installed as LH or RH drainer
- Supplied complete with waste, hygienic overflow and fitting clips
- Minimum cabinet width required 450mm
- Waste disposal compatible
- Full plumbing kit included



## gd100L

DEEP BOWL GAVANO LARGE SINGLE BOWL & DRAINER



- 1000mm x 500mm overall size, 200mm "DEEP" bowl
- 80% Quartz content with ULTRA CLEAN anti-bacterial formula
- Can be installed as LH or RH drainer
- Supplied complete with waste, hygienic overflow and fitting clips
- Minimum cabinet width required 600mm
- Waste disposal compatible
- Full plumbing kit included



## gd150

DEEP BOWL GAVANO 1.5 BOWL & DRAINER



- 1000mm x 500mm overall size, 200mm "DEEP" main bowl
- Internal 345mm x 440mm (main bowl), 155mm x 295mm (small bowl)
- 80% Quartz content with ULTRA CLEAN anti-bacterial formula
- Can be installed as LH or RH drainer
- Supplied complete with wastes, hygienic overflow and fitting clips
- Minimum cabinet width required 600mm
- Waste disposal compatible
- Full plumbing kit included



gd100L  
SHOWN WITH HS505 TAP IN CHROME



col108 MAIN BOWL COLANDER SHOWN



# pvd coloured waste & overflow options


shown with gavano series • gd100 • gd100L • gd150

Our range of pvd coloured wastes and overflows are available in four stunning finishes. They have been carefully designed to match your sink accessories and chosen tap and will complement any sink that has a 90mm waste outlet.


## AVAILABLE COLOURS




- 90mm black powder coated basket strainer waste & overflow



- 90mm gold/brass PVD basket strainer waste & overflow



- 90mm gunmetal PVD basket strainer waste & overflow



- 90mm copper PVD basket strainer waste & overflow



gd150 SHOWN WITH BLACK WASTES & OVERFLOW AND HS945 TAP IN BLACK



## gd100

SHOWN WITH PVD COLOURED WASTE & OVERFLOW AND HS195 TAPS IN GUNMETAL & GOLD/BRASS



## gd100L

SHOWN WITH PVD COLOURED WASTE & OVERFLOW AND HS195 TAPS IN COPPER & BLACK



## granite single bowl

### WASTE KITS



ukh106-bpc  
• Black powder coated 90mm basket strainer & rectangular overflow



ukh106-pvd-cop  
• PVD copper 90mm basket strainer & rectangular overflow



ukh106-pvd-g/b  
• PVD gold/brass 90mm basket strainer & rectangular overflow



ukh106-pvd-gm  
• PVD gunmetal 90mm basket strainer & rectangular overflow

## granite 1.5/double bowl

### WASTE KITS



ukh102-bpc  
• Black powder coated 2 x 90mm basket strainers & rectangular overflow



ukh102-pvd-cop  
• PVD copper 2 x 90mm basket strainers & rectangular overflow



ukh102-pvd-g/b  
• PVD gold/brass 2 x 90mm basket strainers & rectangular overflow



ukh102-pvd-gm  
• PVD gunmetal 2 x 90mm basket strainers & rectangular overflow

MATCHING TAPS ARE  
SHOWN ON PAGES 102-103

# inset granite turin series • td100 • td100L • td150

Manufactured from 80% Quartz granite particles with ANTI BACTERIAL properties our TURIN collection of granite inset sinks are manufactured with proven German **SCHOCK** technology.

Featuring a low profile and minimalistic look, they are highly durable, easy to clean, heat, burn and stain resistant and available in a choice of fashionable colours to partner any kitchen style.

## AVAILABLE COLOURS



MIDNIGHT BLACK



GUNMETAL GREY



GRAPHITE GREY



WHITE



STONE



td150 SHOWN WITH HS945 TAP IN CHROME



td100L SHOWN WITH HS925 TAP IN BLACK/CHROME



td100L  
SHOWN WITH HS925 TAP IN WHITE/CHROME




td100N  
SHOWN WITH HS195 TAP IN BRUSHED STEEL

# inset granite

td100

SHOWN WITH HS945 TAP IN  
GUNMETAL/BRUSHED STEEL



HS705 TAP IN CHROME

turin series • td100 • td100L • td150



td100 SHOWN WITH HS705 TAP IN CHROME



## td100N

DEEP BOWL TURIN COMPACT BOWL & DRAINER



- 615mm x 500mm overall size, 200mm "DEEP" main bowl
- 80% Quartz content with ULTRA CLEAN anti-bacterial formula
- Can be installed as LH or RH drainer
- Supplied complete with waste, hygienic overflow and fitting clips
- Minimum cabinet width required 500mm
- Waste disposal compatible
- Full plumbing kit included



## td100

DEEP BOWL TURIN SINGLE BOWL & DRAINER



- 860mm x 500mm overall size, 200mm "DEEP" main bowl
- 80% Quartz content with ULTRA CLEAN anti-bacterial formula
- Can be installed as LH or RH drainer
- Supplied complete with waste, hygienic overflow and fitting clips
- Minimum cabinet width required 450mm
- Waste disposal compatible
- Full plumbing kit included



## td100L

DEEP BOWL TURIN LARGE SINGLE BOWL & DRAINER



- 1000mm x 500mm overall size, 200mm "DEEP" main bowl
- 80% Quartz content with ULTRA CLEAN anti-bacterial formula
- Can be installed as LH or RH drainer
- Supplied complete with waste, hygienic overflow and fitting clips
- Minimum cabinet width required 600mm
- Waste disposal compatible
- Full plumbing kit included



## td150 SHOWN WITH HS1075 TAP IN CHROME



## td150

DEEP BOWL TURIN 1.5 BOWL & DRAINER



- 1000mm x 500mm overall size, 200mm "DEEP" main bowl
- 80% Quartz content with ULTRA CLEAN anti-bacterial formula
- Can be installed as LH or RH drainer
- Supplied complete with wastes, hygienic overflow and fitting clips
- Minimum cabinet width required 600mm
- Waste disposal compatible
- Full plumbing kit included



# inset granite vivaldi series • vd100 • vd100L • vd150

Manufactured with proven German **SCHOCK** technology and with 80% Quartz granite particles for durability, colourfastness, heat and stain resistance. Our VIVALDI collection of granite sinks with ANTI BACTERIAL properties make a great addition to any home, in a choice of fashionable colours with varying bowl sizes this linear designed family of models is sure to please.



All of our sinks are backed with a Lifetime Warranty against genuine material and manufacturing defects\*.



## HS945 series

### AVAILABLE COLOURS

- MATT BLACK
- GUNMETAL
- COPPER
- GOLD
- CHROME WITH COLOUR ACCENTS
- BRUSHED STEEL WITH COLOUR ACCENTS

vd150 SHOWN WITH BLACK WASTES & OVERFLOW AND HS945 TAP IN BLACK





vd100L SHOWN WITH GUNMETAL WASTE & OVERFLOW AND HS195 TAP IN GUNMETAL



vd100L

SHOWN WITH HS1075 TAP IN CHROME



All of our sinks are backed with a Lifetime Warranty against genuine material and manufacturing defects\*.

# inset granite vivaldi series • vd100 • vd100L • vd150

## AVAILABLE COLOURS



GRANITE BLACK



GUNMETAL GREY



GRAPHITE GREY



WHITE



CHAMPAGNE



COFFEE




vd100 SHOWN WITH HS505 TAP IN CHROME





## vd100

DEEP BOWL VIVALDI  
COMPACT SINGLE BOWL & DRAINER



- 860mm x 500mm overall size, 205mm "DEEP" main bowl
- 80% Quartz content with ULTRA CLEAN anti-bacterial formula
- Can be installed as LH or RH drainer
- Supplied complete with waste, hygienic overflow and fitting clips
- Minimum cabinet width required 450mm
- Waste disposal compatible
- Full plumbing kit included



## vd100L

DEEP BOWL VIVALDI  
LARGE SINGLE BOWL & DRAINER



- 1000mm x 500mm overall size, 220mm "DEEP" main bowl
- 80% Quartz content with ULTRA CLEAN anti-bacterial formula
- Can be installed as LH or RH drainer
- Supplied complete with waste, hygienic overflow and fitting clips
- Minimum cabinet width required 600mm
- Waste disposal compatible
- Full plumbing kit included



## vd150

DEEP BOWL VIVALDI 1.5 BOWL & DRAINER



- 1000mm x 500mm overall size, 205mm "DEEP" main bowl
- 80% Quartz content with ULTRA CLEAN anti-bacterial formula
- Can be installed as LH or RH drainer
- Supplied complete with wastes, hygienic overflow and fitting clips
- Minimum cabinet width required 600mm
- Waste disposal compatible
- Full plumbing kit included



## vd150 SHOWN WITH HS925 TAP IN GUNMETAL/CHROME



## pvd coloured wastes & overflows SEE PAGES 10-11 FOR DETAILS

### AVAILABLE COLOURS



- 90mm black powder coated basket strainer wastes & overflow



- 90mm gunmetal PVD basket strainer wastes & overflow



- 90mm gold/brass PVD basket strainer wastes & overflow



- 90mm copper PVD basket strainer wastes & overflow

# inset ceramic crystal series • cd100LJDM • cd150JDM

The CRYSTAL series has been manufactured from the finest fireclay. Each sink is unique and hand-finished in brilliant white lustre with a high gloss glaze. Ultra-smooth, hard wearing and hygienic makes up just a few of the reasons that this selection of models will complement both traditional and contemporary kitchens alike.

**LIFETIME**  
WARRANTY

All of our sinks are backed with a Lifetime Warranty against genuine material and manufacturing defects\*.



ss-fdm UNIVERSAL  
FOLDING DRAINER MAT  
[see page 98-99 for details]




cd100LJDM SHOWN WITH HS925 TAP IN CHROME



cd150JDM SHOWN WITH HS945 TAP IN CHROME



cd100LJDM CRYSTAL DEEP BOWL  
LARGE SINGLE BOWL & DRAINER



- 1000mm x 500mm overall size, 200mm deep bowl
- FFC (Fine fireclay material) with hygienic glazed surface
- Supplied as standard with 1 x 90mm chrome waste & overflow
- Minimum cabinet width required 600mm
- Waste disposal compatible
- +/- 2% tolerance in manufacturing



cd150JDM CRYSTAL DEEP BOWL  
1.5 SINGLE BOWL & DRAINER



- 1000mm x 500mm overall size, 200mm deep main bowl
- FFC (Fine fireclay material) with hygienic glazed surface
- Supplied as standard with 2 x 90mm chrome wastes & 1 x overflow
- Minimum cabinet width required 600mm
- Waste disposal compatible
- +/- 2% tolerance in manufacturing



# pvd coloured waste & overflow options

shown with crystal series • cd100LJDM • cd150JDM

Our range of pvd coloured wastes and overflows are available in four stunning finishes. They have been carefully designed to match your sink accessories and chosen tap and will complement any sink that has a 90mm waste outlet.



cd100LJDM SHOWN WITH GOLD/BRASS WASTE & OVERFLOW AND HS945 TAP IN GOLD



## cd150JDM

SHOWN WITH PVD COLOURED WASTES & OVERFLOW  
AND HS935 TAPS IN BLACK & GOLD/BRASS



## cd150JDM

SHOWN WITH PVD COLOURED WASTES & OVERFLOW  
AND HS935 TAPS IN COPPER & GUNMETAL



## cd100LJDM WASTE KITS




ukh057-nyl

- Black 90mm basket strainer



ukh057-bpc

- Black powder coated round overflow



ukh055-pvdcop

- PVD copper 90mm basket strainer & round overflow



ukh055-pvdg/b

- PVD gold/brass 90mm basket strainer & round overflow



ukh055-pvdgm

- PVD gunmetal 90mm basket strainer & round overflow

## cd150JDM WASTE KITS



ukh058-nyl

- Black 90mm basket strainers x 2


ukh058-bpc

- Black powder coated round overflow



ukh056-pvdcop

- PVD copper  
2 x 90mm basket strainers  
& round overflow



ukh056-pvdg/b

- PVD gold/brass  
2 x 90mm basket strainers  
& round overflow



ukh056-pvdgm

- PVD gunmetal  
2 x 90mm basket strainers  
& round overflow

MATCHING TAPS ARE SHOWN ON PAGES 102-103

# inset steel 'ZERO' (0MM) INTERNAL CORNER RADIUS quadro series • d100 • d100L • d150


The stunning range of QUADRO 'zero' (0mm) radius bowls are fabricated and finished by hand to ensure both accuracy and quality. Manufactured from 1.0mm surgical grade SS304 brushed steel and finished perfectly on the underside, with a special sound and heat reducing coating they are produced to exacting standards.

**LIFETIME**  
WARRANTY

All of our sinks are backed with a Lifetime Warranty against genuine material and manufacturing defects\*.



HS925 TAP IN CHROME



d150 SHOWN WITH HS925 TAP IN BRUSHED STEEL AND INCLUSIVE POP-UP WASTE



## d100

### DEEP BOWL QUADRO SINGLE BOWL & DRAINER



- 860mm x 500mm overall size, 190mm deep bowl
- Internal 400mm x 380mm bowl
- Reversible design with pop-up waste (included)
- SS304 (1.0mm) steel, powder coated underside
- Supplied complete with wastes and hygienic overflow
- Minimum cabinet width required 500mm
- Waste disposal compatible
- Uses ukh039/60 plumbing kits (page 129)



## d100L

### DEEP BOWL QUADRO LARGE SINGLE BOWL & DRAINER



- 1000mm x 500mm overall size, 190mm deep bowl
- Internal 530mm x 380mm bowl
- Reversible design with pop-up waste (included)
- SS304 (1.0mm) steel, powder coated underside
- Supplied complete with wastes and hygienic overflow
- Minimum cabinet width required 600mm
- Waste disposal compatible
- Uses ukh039/60 plumbing kits (page 129)



## d150

### DEEP BOWL QUADRO 1.5 BOWL & DRAINER



- 1000mm x 500mm overall size, 190mm deep main bowl
- Internal 350mm x 380mm (main bowl), 185mm x 380mm (small bowl)
- Reversible design with pop-up waste (included)
- SS304 (1.0mm) steel, powder coated underside
- Supplied complete with wastes and hygienic overflow
- Minimum cabinet width required 800mm
- Waste disposal compatible
- Uses ukh040/61 plumbing kits (page 129)



## d100 SHOWN WITH HS1075 TAP IN BRUSHED STEEL AND INCLUSIVE POP-UP WASTE



## d100L SHOWN WITH HS1075 TAP IN BRUSHED STEEL AND INCLUSIVE POP-UP WASTE



# inset steel 'ZERO' (0MM) INTERNAL CORNER RADIUS quadro series • 450 • 600



450 SHOWN WITH HS925 TAP IN BRUSHED STEEL

**LIFETIME**  
WARRANTY

All of our sinks are backed with a Lifetime Warranty against genuine material and manufacturing defects\*.



600 SHOWN WITH HS1075 TAP IN BRUSHED STEEL



450

DEEP BOWL QUADRO SINGLE BOWL  
INSET ONLY



- 450mm x 500mm overall size, 200mm deep bowl
- Internal 400mm x 400mm bowl
- Features tap ledge with central tap hole position
- SS304 (1.0mm) steel, powder coated underside
- Supplied complete with waste and hygienic overflow
- Minimum cabinet width required 450mm
- Waste disposal compatible
- Uses ukh039/60 plumbing kits (page 129)




600

DEEP BOWL QUADRO SINGLE BOWL  
INSET ONLY



- 600mm x 500mm overall size, 200mm deep bowl
- Internal 550mm x 400mm bowl
- Features tap ledge with central tap hole position
- SS304 (1.0mm) steel, powder coated underside
- Supplied complete with waste and hygienic overflow
- Minimum cabinet width required 600mm
- Waste disposal compatible
- Uses ukh039/60 plumbing kits (page 129)



## steel belfast quadro 'belfast style'



sb-trad SHOWN WITH HS925 TAP IN CHROME

sb-trad

DEEP BOWL QUADRO BELFAST



- 600mm x 465mm x 254mm overall size
- Apron front sit-on design
- Hand fabricated in brushed steel
- Supplied complete with 90mm waste and overflow (chrome finish)
- Minimum cabinet width required 600mm/ custom housing
- Waste disposal compatible
- Uses ukh039/60 plumbing kits (page 129)
- +/- 2% tolerance in manufacturing



PLUMBING KITS ARE  
SHOWN ON PAGE 129



# inset steel

Our MINIMALIST family of low profile/flush fitting steel inset sinks are available in a wide combination of sizing and bowl choices. Featuring a minimalistic no pattern drainer, radius 25mm bowls and partnered with a fashionable 'square' waste system and concealed hygienic overflow they will make a bold statement in any kitchen.

Manufactured from SS304 surgical grade steel in a brushed finish that will ensure the longevity, look and hygienic properties of this sink for years to come.

## LIFETIME WARRANTY

All of our sinks are backed with a Lifetime Warranty against genuine material and manufacturing defects\*.



HS955 TAP IN CHROME

minimalist series • em07 • em06 • em05



em05 SHOWN WITH HS955 TAP IN CHROME



em07

DEEP BOWL MINIMALIST  
COMPACT SINGLE BOWL & DRAINER



- 800mm x 520mm overall size, 206mm "DEEP" main bowl
- LH or RH drainer available
- SS304 (0.8mm) steel
- Supplied complete with waste, hygienic overflow and fitting clips
- Minimum cabinet width required 450mm
- Waste disposal compatible
- Uses ukh039/60 plumbing kits (page 129)



em06

DEEP BOWL MINIMALIST  
LARGE SINGLE BOWL & DRAINER



- 1000mm x 520mm overall size, 216mm "DEEP" main bowl
- LH or RH drainer available
- SS304 (0.8mm) steel
- Supplied complete with waste, hygienic overflow and fitting clips
- Minimum cabinet width required 600mm
- Waste disposal compatible
- Uses ukh039/60 plumbing kits (page 129)



em05

DEEP BOWL MINIMALIST 1.5 BOWL & DRAINER



- 1000mm x 520mm overall size, 206mm "DEEP" main bowl
- LH or RH drainer available
- SS304 (0.8mm) steel
- Supplied complete with wastes, hygienic overflow and fitting clips
- Minimum cabinet width required 600mm
- Waste disposal compatible
- Uses ukh040/61 plumbing kits (page 129)



em06 SHOWN WITH HS1075 TAP IN BRUSHED STEEL

ukh039

SINGLE BOWL PLUMBING KIT



- Twin appliance inlets
- Suits all singular bowls
- UK compatible



ukh040

2 BOWL PLUMBING KIT



- Twin appliance inlets
- Suits all double bowl models
- UK compatible



SPACE SAVER UKH060/61 PLUMBING KITS  
ARE SHOWN ON PAGE 129

# inset steel rhombus series • em03 • em02 • em01 • em08

Our RHOMBUS range of steel inset sinks are available in a wide combination of sizing and bowl choices, featuring a linear drainer style, radius 25mm deep bowls with a concealed hygienic overflow.

Manufactured from SS304 (0.8mm) surgical grade steel in a brushed finish, that will ensure the longevity, look and hygienic properties of this sink for its entire lifetime.



All of our sinks are backed with a Lifetime Warranty against genuine material and manufacturing defects\*.

## em08

DEEP BOWL RHOMBUS 1.5 BOWL LH ONLY



- 625mm x 520mm overall size, 200mm "DEEP" main bowl
- LH main bowl design
- SS304 (0.8mm) steel
- Supplied complete with wastes, hygienic overflow and fitting clips
- Minimum cabinet width required 600mm
- Waste disposal compatible
- Uses ukh040/61 plumbing kits (page 129)



em03 SHOWN WITH HS975 TAP IN BRUSHED STEEL



## em03

DEEP BOWL RHOMBUS  
COMPACT SINGLE BOWL & DRAINER



- 800mm x 500mm overall size, 202mm "DEEP" main bowl
- LH or RH drainer available
- SS304 (0.8mm) steel
- Supplied complete with waste, hygienic overflow and fitting clips
- Minimum cabinet width required 450mm
- Waste disposal compatible
- Uses ukh039/60 plumbing kits (page 129)



## em02

DEEP BOWL RHOMBUS  
LARGE SINGLE BOWL & DRAINER



- 1000mm x 500mm overall size, 212mm "DEEP" main bowl
- LH or RH drainer available
- SS304 (0.8mm) steel
- Supplied complete with waste, hygienic overflow and fitting clips
- Minimum cabinet width required 600mm
- Waste disposal compatible
- Uses ukh039/60 plumbing kits (page 129)



## em01

DEEP BOWL RHOMBUS 1.5 BOWL & DRAINER



- 1000mm x 500mm overall size, 202mm "DEEP" main bowl
- LH or RH drainer available
- SS304 (0.8mm) steel
- Supplied complete with wastes, hygienic overflow and fitting clips
- Minimum cabinet width required 600mm
- Waste disposal compatible
- Uses ukh040/61 plumbing kits (page 129)



## em01 SHOWN WITH HS945 TAP IN CHROME



## em02 SHOWN WITH HS925 TAP IN CHROME





# inset steel

Our ECHO range of steel inset sinks feature a 'straight bar' drainer style and incorporate classic radius shaped deep bowls with a concealed hygienic overflow system.

Manufactured totally from durable and hygienic SS304 surgical grade steel in a brushed steel finish, in a range of bowl options they will complement any kitchen.

**LIFETIME**  
WARRANTY

All of our sinks are backed with a Lifetime Warranty against genuine material and manufacturing defects\*.



et18 SHOWN WITH HS945  
TAP IN BLACK/CHROME

gcb01 UNIVERSAL BLACK GLASS  
CHOPPING BOARD (see pages 98-99 for details)

echo series • et17 • et16 • et15 • et18



et18 SHOWN WITH  
OPTIONAL SQUARE WASTES  
& HS925 TAP IN CHROME



et15 SHOWN WITH HS925 TAP IN CHROME



PLUMBING KITS ARE SHOWN ON PAGE 129



et16 SHOWN WITH HS935 TAP IN CHROME

et17

DEEP BOWL ECHO  
COMPACT SINGLE BOWL & DRAINER



- 800mm x 500mm overall size, 200mm "DEEP" main bowl
- Reversible drainer design
- SS304 (0.8mm) steel
- Supplied complete with round waste, hygienic overflow and fitting clips
- Minimum cabinet width required 450mm
- Waste disposal compatible
- Uses ukh039/60 plumbing kits (page 129)



et16

DEEP BOWL ECHO  
LARGE SINGLE BOWL & DRAINER



- 1000mm x 500mm overall size, 200mm "DEEP" main bowl
- Reversible drainer design
- SS304 (0.8mm) steel
- Supplied complete with round waste, hygienic overflow and fitting clips
- Minimum cabinet width required 600mm
- Waste disposal compatible
- Uses ukh039/60 plumbing kits (page 129)



et17 SHOWN WITH HS925 TAP IN CHROME

et15

DEEP BOWL ECHO 1.5 BOWL & DRAINER



- 1000mm x 500mm overall size, 200mm "DEEP" main bowl
- Reversible drainer design
- SS304 (0.8mm) steel
- Supplied complete with round wastes, hygienic overflow and fitting clips
- Minimum cabinet width required 600mm
- Waste disposal compatible
- Uses ukh040/61 plumbing kits (page 129)



et18

DEEP BOWL ECHO DOUBLE BOWL & DRAINER



- 1160mm x 500mm overall size, 200mm "DEEP" main bowl
- Reversible drainer design
- SS304 (0.8mm) steel
- Supplied complete with round wastes, hygienic overflow and fitting clips
- Minimum cabinet width required 800mm
- Waste disposal compatible
- Uses ukh040/61 plumbing kits (page 129)





# inset steel

The SONATA range of steel inset sinks feature a linear grooved drainer style and incorporate rectangular styling to the bowls. They feature our concealed hygienic overflow system, manufactured totally from durable and hygienic SS304 surgical grade steel in a satin steel finish.

**LIFETIME  
WARRANTY**

All of our sinks are backed with a Lifetime Warranty against genuine material and manufacturing defects\*.



HS925 TAP IN GRAPHITE/CHROME

sonata series • sd100L • sd150



sd100L SHOWN WITH HS925 TAP IN GRAPHITE/CHROME



## sd100L

SONATA LARGE SINGLE BOWL & DRAINER



- 1000mm x 500mm overall size, 185mm deep main bowl
- Reversible drainer design
- SS304 (0.7mm) steel
- Supplied complete with waste, hygienic overflow and fitting clips
- Minimum cabinet width required 600mm
- Waste disposal compatible
- Uses ukh039/60 plumbing kits (page 129)



## sd150

SONATA 1.5 BOWL & DRAINER




- 1000mm x 500mm overall size, 185mm deep main bowl
- Reversible drainer design
- SS304 (0.7mm) steel
- Supplied complete with wastes, hygienic overflow and fitting clips
- Minimum cabinet width required 600mm
- Waste disposal compatible
- Uses ukh040/61 plumbing kits (page 129)



## ukh039

SINGLE BOWL PLUMBING KIT



- Twin appliance inlets
- Suits all singular bowls
- UK compatible



## ukh040

2 BOWL PLUMBING KIT



- Twin appliance inlets
- Suits all double bowl models
- UK compatible



SPACE SAVER UKH060/61 PLUMBING KITS  
ARE SHOWN ON PAGE 129



# inset steel

The LIVANNA range of classic steel inset sinks feature a reversible graduated linear grooved drainer with rectangular styled bowls. Manufactured from durable and hygienic SS304 surgical grade steel in a satin steel finish.

## LIFETIME WARRANTY

All of our sinks are backed with a Lifetime Warranty against genuine material and manufacturing defects\*.



SHOWN WITH  
OPTIONAL SQUARE  
WASTE

livanna series • ld100L • ld150



SUITABLE  
FOR  
HOT WATER  
TAPS

ld150 SHOWN WITH STANDARD ROUND WASTES & HS505 TAP IN CHROME



gcb01 UNIVERSAL BLACK GLASS  
CHOPPING BOARD (see page 98-99 for details)



SHOWN WITH  
OPTIONAL SQUARE WASTE

ld100L SHOWN WITH STANDARD ROUND WASTE & HS945 TAP IN BLACK

## ld100L

LIVANNA LARGE SINGLE BOWL & DRAINER



- 950mm x 508mm overall size, 150mm main bowl
- Reversible drainer design
- SS304 (0.7mm) steel
- Supplied complete with round waste, overflow and fitting clips
- Minimum cabinet width required 600mm
- Waste disposal compatible
- Uses ukh039/60 plumbing kits (page 129)



## ld150

LIVANNA 1.5 BOWL & DRAINER



- 950mm x 508mm overall size, 150mm main bowl
- Reversible drainer design
- SS304 (0.7mm) steel
- Supplied complete with round wastes, overflow and fitting clips
- Minimum cabinet width required 600mm
- Waste disposal compatible
- Uses ukh040/61 plumbing kits (page 129)





# inset steel

The KONA collection of steel inset sinks offer flexibility and affordability, classic radius bowl styling and the choice of three models, compact and large SB/SD along with a 1.5 bowl option. Manufactured from hygienic SS304 surgical grade steel making this collection suitable for any kitchen project.

**LIFETIME**  
WARRANTY

All of our sinks are backed with a Lifetime Warranty against genuine material and manufacturing defects\*.



kd100  
COMPACT

PLUMBING KITS ARE  
SHOWN ON PAGE 129

kona series • kd100 • kd100L • kd150



kd100

COMPACT SHOWN WITH HS945 TAP IN BLACK/BRUSHED  
STEEL & GCB01 UNIVERSAL BLACK GLASS CHOPPING BOARD



## kd100

KONA COMPACT SINGLE BOWL & DRAINER



- 860mm x 500mm overall size, 170mm deep main bowl
- Reversible drainer design
- SS304 (0.6mm) steel
- Supplied complete with waste, round overflow and fitting clips
- Minimum cabinet width required 450mm
- Waste disposal compatible
- Uses ukh039/60 plumbing kits (page 129)



## kd100L

KONA LARGE SINGLE BOWL & DRAINER



- 965mm x 500mm overall size, 170mm deep main bowl
- Reversible drainer design
- SS304 (0.6mm) steel
- Supplied complete with waste, round overflow and fitting clips
- Minimum cabinet width required 500mm
- Waste disposal compatible
- Uses ukh039/60 plumbing kits (page 129)



## kd150

KONA 1.5 BOWL & DRAINER



- 965mm x 500mm overall size, 155mm deep main bowl
- Reversible drainer design
- SS304 (0.6mm) steel
- Supplied complete with wastes, round overflow and fitting clips
- Minimum cabinet width required 600mm
- Waste disposal compatible
- Uses ukh040/61 plumbing kits (page 129)



## kd100L SHOWN WITH HS945 TAP IN CHROME



## kd150L SHOWN WITH HS945 TAP IN BLACK/BRUSHED STEEL





# inset steel

The EASY range of steel inset sinks feature a planked style drainer and incorporate classic radius styling to the bowls. Manufactured totally from durable and hygienic SS304 surgical grade steel, in a brushed steel finish they provide an affordable option for contract or budget opportunities where cost and quality are of equal importance.

## LIFETIME WARRANTY

All of our sinks are backed with a Lifetime Warranty against genuine material and manufacturing defects\*.



HS205 TAP IN CHROME  
ALSO AVAILABLE IN BRUSHED STEEL

easy series • ea10 • ea09 • ea08



ea09 SHOWN WITH  
HS205 TAP IN CHROME



ea10

EASY COMPACT SINGLE BOWL & SHORT DRAINER



- 580mm x 488mm overall size, 160mm deep main bowl
- Reversible drainer design
- SS304 (0.5mm) steel
- Supplied complete with waste, round overflow and fitting clips
- Minimum cabinet width required 500mm
- Waste disposal compatible
- Uses ukh039/60 plumbing kits (page 129)



ea08

EASY SINGLE BOWL & DRAINER



- 965mm x 500mm overall size, 160mm deep main bowl
- Reversible drainer design
- SS304 (0.5mm) steel
- Supplied complete with waste, round overflow and fitting clips
- Minimum cabinet width required 600mm
- Waste disposal compatible
- Uses ukh039/60 plumbing kits (page 129)



ea09

EASY 1.5 BOWL & DRAINER



- 965mm x 500mm overall size, 160mm deep main bowl
- Reversible drainer design
- SS304 (0.5mm) steel
- Supplied complete with wastes, round overflow and fitting clips
- Minimum cabinet width required 600mm
- Waste disposal compatible
- Uses ukh040/61 plumbing kits (page 129)



ea10 SHOWN WITH HS705 TAP IN CHROME



ea08 SHOWN WITH HS305 TAP IN CHROME



inset steel

easy series • ea05 • ea06 • ea07

SUITABLE  
FOR  
HOT WATER  
TAPS



ea07 SHOWN WITH HS945 TAP IN BLACK/BRUSHED STEEL



ea05

EASY COMPACT SINGLE BOWL & DRAINER



- 860mm x 500mm overall size, 160mm deep main bowl
- Reversible drainer design
- SS304 (0.5mm) steel
- Supplied complete with waste, overflow and fitting clips
- Minimum cabinet width required 500mm
- Waste disposal compatible
- Uses ukh039/60 plumbing kits (page 129)



ea06

EASY SINGLE BOWL & DRAINER



- 965mm x 500mm overall size, 160mm deep main bowl
- Reversible drainer design
- SS304 (0.5mm) steel
- Supplied complete with waste, overflow and fitting clips
- Minimum cabinet width required 500mm
- Waste disposal compatible
- Uses ukh039/60 plumbing kits (page 129)



ea07

EASY 1.5 BOWL & DRAINER



- 965mm x 500mm overall size, 160mm deep main bowl
- Reversible drainer design
- SS304 (0.5mm) steel
- Supplied complete with wastes, overflow and fitting clips
- Minimum cabinet width required 600mm
- Waste disposal compatible
- Uses ukh040/61 plumbing kits (page 129)



ea05 SHOWN WITH HS945 TAP IN BLACK/BRUSHED STEEL



ea06 SHOWN WITH HS505 TAP IN CHROME





# inset steel classic round bowl series • 1011d1 • 1011d2 • 1011d3

Our CLASSIC round bowls manufactured fully from SS304 surgical grade steel can be used singularly, with separate drainer or partnered together to form a total work centre. Deep bowl design and the choice of with or without tap ledge design provide flexibility and functionality within compact areas.



All of our sinks are backed with a Lifetime Warranty against genuine material and manufacturing defects\*.

## 1011d1 CLASSIC DEEP ROUND BOWL



- 440mm diameter, 185mm deep bowl
- SS304 (0.8mm) steel
- Supplied complete with 90mm waste, overflow and fitting clips
- Minimum cabinet width required 500mm
- Waste disposal compatible
- Uses ukh039/60 plumbing kits (page 129)



1011d1 SHOWN WITH HS925 TAP IN CHROME



## 1011d1 & 1011d2 drainer SHOWN WITH WB11 WIRE BASKET & HS925 TAP IN CHROME



### 1011d2

CLASSIC ROUND DRAINER



- 440mm diameter, 50mm deep drainer
- SS304 (0.8mm) steel
- Supplied complete with 50mm waste and fitting clips
- Minimum cabinet width required 500mm
- Uses ukh039/60 plumbing kits (page 129)



### 1011d3

CLASSIC ROUND BOWL  
INCORPORATING TAP LEDGE



- 510mm diameter, 180mm deep bowl
- SS304 (0.8mm) steel
- Supplied complete with 90mm waste overflow and fitting clips
- Minimum cabinet width required 450mm
- Waste disposal compatible
- Uses ukh039/60 plumbing kits (page 129)





# undermount/inset granite enigma series • en340 • en400 • en500 • en50

The ENIGMA series offers sleek hard-wearing sinks suitable for inset or undermount installation.

Using proven German **SCHOCK** technology they are manufactured from 80% Quartz granite particles for durability, colourfastness, heat and stain resistance.

Available in a choice of modern colours to complement any kitchen design or worksurface.

**LIFETIME**  
WARRANTY

All of our sinks are backed with a Lifetime Warranty against genuine material and manufacturing defects\*.



en340  
SHOWN IN UNDERMOUNT SETTING

## AVAILABLE COLOURS



BLUE



GRANITE BLACK



GUNMETAL GREY



GRAPHITE GREY




FOSSIL



CHAMPAGNE



WHITE



INSET SETTING  
en340 SHOWN WITH HS705 TAP IN CHROME



en400 SHOWN WITH GUNMETAL WASTE & OVERFLOW AND HS195 TAP IN GUNMETAL



## en340

ENIGMA COMPACT SINGLE BOWL  
UNDERMOUNT OR INSET



- 370mm x 460mm overall size, 200mm deep bowl
- 340mm x 400mm internal bowl size
- Can be used as undermount or inset sink
- 80% Quartz content with ULTRA CLEAN anti-bacterial formula
- Supplied complete with waste, hygienic overflow and fitting clips
- Minimum cabinet width required 450mm
- Waste disposal compatible
- Full plumbing kit included

LIFETIME  
WARRANTY

CE  
APPROVED

UK  
CA

## en400

ENIGMA MID SINGLE BOWL  
UNDERMOUNT OR INSET



- 430mm x 460mm overall size, 200mm deep bowl
- 400mm x 400mm internal bowl size
- Can be used as undermount or inset sink
- 80% Quartz content with ULTRA CLEAN anti-bacterial formula
- Supplied complete with waste, hygienic overflow and fitting clips
- Minimum cabinet width required 500mm
- Waste disposal compatible
- Full plumbing kit included

LIFETIME  
WARRANTY

CE  
APPROVED

UK  
CA

# undermount/inset granite enigma series • en340 • en400 • en500 • en50



## en500 ENIGMA LARGE SINGLE BOWL UNDERMOUNT OR INSET



- 530mm x 460mm overall size, 200mm deep bowl
- 500mm x 400mm internal bowl size
- Can be used as undermount or inset sink
- 80% Quartz content with ULTRA CLEAN anti-bacterial formula
- Supplied complete with waste, hygienic overflow and fitting clips
- Minimum cabinet width required 600mm
- Waste disposal compatible
- Full plumbing kit included



## en50 ENIGMA 1.5 BOWL REVERSIBLE UNDERMOUNT OR INSET



- 555mm x 460mm overall size, 200mm deep main bowl
- Internal 335mm x 400mm (main bowl), 155mm x 400 (half bowl)
- Can be used as undermount or inset sink
- 80% Quartz content with ULTRA CLEAN anti-bacterial formula
- Supplied complete with waste, hygienic overflow and fitting clips
- Minimum cabinet width required 600mm
- Waste disposal compatible
- Full plumbing kit included





## INSET SETTING



en50 SHOWN WITH COPPER WASTES & OVERFLOW AND HS195 TAP IN COPPER



## UNDERMOUNT SETTING

en50 SHOWN WITH GOLD/BRASS WASTES & OVERFLOW AND HS195 TAP IN GOLD

## granite single bowl

### WASTE KITS



ukh106-bpc  
• Black powder coated 90mm basket strainer & rectangular overflow



ukh106-pvdcop  
• PVD copper 90mm basket strainer & rectangular overflow



ukh106-pvdg/b  
• PVD gold/brass 90mm basket strainer & rectangular overflow



ukh106-pvdgm  
• PVD gunmetal 90mm basket strainer & rectangular overflow

## granite 1.5/double bowl

### WASTE KITS



ukh102-bpc  
• Black powder coated 2 x 90mm basket strainers & rectangular overflow



ukh102-pvd-cop  
• PVD copper 2 x 90mm basket strainers & rectangular overflow



ukh102-pvd-g/b  
• PVD gold/brass 2 x 90mm basket strainers & rectangular overflow



ukh102-pvd-gm  
• PVD gunmetal 2 x 90mm basket strainers & rectangular overflow

MATCHING TAPS ARE  
SHOWN ON PAGES 102-103

**CARYSIL** 49

# undermount/inset granite quadrus series • sn60 • sn70 • wn80



UNDERMOUNT ONLY

wn80 SHOWN WITH HS925 TAP IN GRAPHITE/CHROME

Manufactured from 80% Quartz granite particles our QUADRUS collection of granite undermount/inset sinks are manufactured with proven German **SCHOCK** technology and ANTI BACTERIAL properties.

Featuring a super smooth, super hard, colourfast quartz material with a choice of bowl sizes and up to date colours. Our quartz granite undermounts are the perfect partner for today's solid surfaces.



All of our sinks are backed with a Lifetime Warranty against genuine material and manufacturing defects\*.

sn60 QUADRUS SINGLE BOWL  
UNDERMOUNT OR INSET



- 533mm x 457mm overall size, 209mm deep bowl
- 469mm x 394mm internal bowl size
- Can be used as undermount or inset sink
- 80% Quartz content with ULTRA CLEAN anti-bacterial formula
- Supplied complete with waste, hygienic overflow and fitting clips
- Minimum cabinet width required 600mm
- Waste disposal compatible
- Full plumbing kit included





#### AVAILABLE COLOURS



GRANITE BLACK



GUNMETAL GREY



GRAPHITE GREY



CHAMPAGNE



WHITE



sn70 SHOWN WITH HS925 TAP IN WHITE/CHROME

### sn70 QUADRUS LARGE SINGLE BOWL UNDERMOUNT OR INSET



- 610mm x 457mm overall size, 210mm deep bowl
- 544mm x 394mm internal bowl size
- Can be used as undermount or inset sink
- 80% Quartz content with ULTRA CLEAN anti-bacterial formula
- Supplied complete with waste, hygienic overflow and fitting clips
- Minimum cabinet width required 600mm (bowl only)
- Waste disposal compatible
- Full plumbing kit included



### wn80 QUADRUS EXTRA LARGE BOWL UNDERMOUNT ONLY



- 774mm x 434mm overall size, 220mm deep bowl
- 720mm x 370mm internal bowl size
- Can be used as undermount only
- 80% Quartz content with ULTRA CLEAN anti-bacterial formula
- Supplied complete with waste, hygienic overflow and fitting clips
- Minimum cabinet width required 800mm
- Waste disposal compatible
- Full plumbing kit included



# undermount/inset ceramic

crystal series • cben340 • cben400 • cben500 • cben50

The CRYSTAL series has been manufactured from the finest fireclay. Each sink is unique and hand-finished in brilliant white lustre with a high gloss glaze. Ultra-smooth, hard wearing and hygienic makes up just a few of the reasons that this selection of models will complement both traditional and contemporary kitchens alike.



All of our sinks are backed with a Lifetime Warranty against genuine material and manufacturing defects\*.

## cben500

CRYSTAL LARGE SINGLE BOWL  
UNDERMOUNT OR INSET



- 526mm x 460mm overall size, 195mm deep bowl
- 490mm x 390mm internal bowl size
- FFC (Fine fireclay material) with hygienic glazed surface
- Supplied as standard with 1 x 90mm chrome waste & overflow
- Minimum cabinet width required 600mm
- Waste disposal compatible
- +/- 2% tolerance in manufacturing
- Uses ukh039/60 plumbing kits (page 129)



### INSET SETTING

cben500 SHOWN WITH  
CHROME WASTE & OVERFLOW AND  
HS145 TAP IN BRUSHED STEEL/  
LINEN TUBE



UNDERMOUNT SETTING





cben340

SHOWN WITH GOLD/BRASS  
WASTE & OVERFLOW AND  
HS145 TAP IN BRASS/  
WHITE TUBE

INSET SETTING



cben400

SHOWN WITH BLACK WASTE  
& OVERFLOW AND HS150 TAP  
IN MATT BLACK WITH COPPER  
HAND WHEELS & BASE RINGS

UNDERMOUNT  
SETTING



cben340

CRYSTAL COMPACT SINGLE BOWL UNDERMOUNT OR INSET

- 370mm x 460mm overall size, 197mm deep bowl
- 332mm x 390mm internal bowl size
- FFC (Fine fireclay material) with hygienic glazed surface
- Supplied as standard with 1 x 90mm chrome waste & overflow
- Minimum cabinet width required 450mm
- Waste disposal compatible
- +/- 2% tolerance in manufacturing
- Uses ukh039/60 plumbing kits (page 129)



cben400

CRYSTAL MID SINGLE BOWL UNDERMOUNT OR INSET

- 428mm x 460mm overall size, 196mm deep bowl
- 390mm x 390mm internal bowl size
- FFC (Fine fireclay material) with hygienic glazed surface
- Supplied as standard with 1 x 90mm chrome waste & overflow
- Minimum cabinet width required 500mm
- Waste disposal compatible
- +/- 2% tolerance in manufacturing
- Uses ukh039/60 plumbing kits (page 129)



# undermount/inset ceramic

crystal series • cben340 • cben400 • cben500 • cben50

## UNDERMOUNT SETTING

cben50 SHOWN WITH COPPER WASTES & OVERFLOW  
AND HS140 TAP IN COPPER



cben50 SHOWN WITH CHROME WASTES  
& OVERFLOW



## cben50

CRYSTAL REVERSIBLE 1.5 BOWL  
UNDERMOUNT OR INSET



- 565mm x 460mm overall size, 195mm main deep bowl
- Internal 329mm x 390mm (main bowl), 156mm x 390 (half bowl)
- FFC (Fine fireclay material) with hygienic glazed surface
- Supplied as standard with 2 x 90mm chrome wastes & 1 x overflow
- Minimum cabinet width required 600mm
- Waste disposal compatible
- +/- 2% tolerance in manufacturing
- Uses ukh040/61 plumbing kits (page 129)

LIFETIME  
WARRANTY

CE  
APPROVED

UK  
CA

SEE PAGES 108-109 & 112-113  
FOR DETAILS OF TAPS SHOWN



match with your chosen tap and kitchen accessories

## cben50

SHOWN WITH PVD COLOURED WASTES & OVERFLOW  
AND HS155 TAPS IN BLACK & BRASS



## cben50

SHOWN WITH PVD COLOURED WASTES & OVERFLOW  
AND HS155 TAPS IN COPPER & GUNMETAL



## ceramic single bowl

### WASTE KITS



**ukh106-bpc**  
• Black powder coated 90mm  
basket strainer & rectangular  
overflow



**ukh106-pvdcop**  
• PVD copper 90mm basket  
strainer & rectangular overflow



**ukh106-pvdg/b**  
• PVD gold/brass 90mm basket  
strainer & rectangular overflow



**ukh106-pvdgm**  
• PVD gunmetal 90mm basket  
strainer & rectangular overflow

## ceramic 1.5/double bowl


### WASTE KITS



**ukh102-bpc**  
• Black powder coated  
2 x 90mm basket strainers &  
rectangular overflow



**ukh102-pvd-cop**  
• PVD copper  
2 x 90mm basket strainers &  
rectangular overflow



**ukh102-pvd-g/b**  
• PVD gold/brass  
2 x 90mm basket strainers &  
rectangular overflow



**ukh102-pvd-gm**  
• PVD gunmetal  
2 x 90mm basket strainers &  
rectangular overflow

SEE PAGES 108-109 & 112-113  
FOR DETAILS OF TAPS SHOWN

# undermount/inset ceramic

crystal series • cb0001REV • cb0001LH • cb0001RH

cb0001REV SHOWN WITH  
HS155 TAP IN CHROME

SUITABLE  
FOR  
HOT WATER  
TAPS

UNDERMOUNT  
SETTING

cb0001REV  
SHOWN WITH  
BLACK WASTES &  
OVERFLOW

INSET SETTING

cb0001REV  
CRYSTAL 1.25 BOWL REVERSIBLE  
UNDERMOUNT OR INSET



- 579mm x 455mm overall size, 221mm deep main bowl
- Internal 389mm x 391mm (main bowl), 164mm x 291mm (small bowl)
- FFC (Fine fireclay material) with hygienic glazed surface
- Supplied as standard with 2 x 90mm chrome wastes & overflow
- Minimum cabinet width required 600mm when inset/  
800mm custom housing when undermount
- Waste disposal compatible
- +/- 2% tolerance in manufacturing
- Uses ukh040/61 plumbing kits (page 129)







right hand main bowl



left hand main bowl

## cb0001LH/RH

CRYSTAL (LH or RH main bowl) 1.5 BOWL UNDERMOUNT OR INSET


- 549mm x 441mm overall size, 195mm deep main bowl
- Internal 385mm x 330mm (main bowl), 273mm x 146mm (small bowl)
- FFC (Fine fireclay material) with hygienic glazed surface
- Supplied as standard with 2 x 90mm chrome wastes & overflow
- Minimum cabinet width required 600mm
- Waste disposal compatible
- +/- 2% tolerance in manufacturing
- Uses ukh040/61 plumbing kits (page 129)



# undermount steel

16MM LIP 'ZERO' (0MM) INTERNAL CORNER RADIUS

sensa series • sen21/16 • sen45/16 • sen70/16



Photograph shows 16mm lip 'flush' fit option with a traditional surface such as Corian or minerva®.

**minerva®**

Photographs with copper sink are shown with minerva® surfaces available at [carysil.co.uk](http://carysil.co.uk)

**CARYSIL**  
SURFACES

The hand fabricated SENSE range of 'zero' (0mm) radius bowls have been designed specifically with solid surfaces in mind offering a seamless integrated look between your chosen sink and worktop.

16MM LIP BOWLS TO BE USED WITH TRADITIONAL SURFACE MATERIALS SUCH AS CORIAN OR **minerva®**

Available in a choice of four colours including PVD gunmetal, copper and gold/brass finishes along with a stainless steel option in SS304 premium steel.

sen21/16 16MM LIP  
SENSE HALF BOWL UNDERMOUNT



- 230mm x 440mm overall size, 120mm deep bowl
- 190mm x 400mm internal bowl size
- Can be used in combination with sen45 mid bowl
- SS304 (1.0mm) steel, powder coated underside
- Supplied complete with waste and hygienic overflow
- Minimum cabinet width required 300mm
- Waste disposal compatible
- Uses ukh039/60 plumbing kits (page 129)

sen45 SHOWN IN COPPER WITH CARYSIL **minerva®** SURFACE IN CARRARA WHITE





16MM LIP BOWLS TO BE USED WITH TRADITIONAL SURFACE MATERIALS SUCH AS CORIAN OR **minerva®**

#### AVAILABLE COLOURS



STAINLESS STEEL (SS)



PVD GUNMETAL (GM)



PVD GOLD/BRASS (G/B)



PVD COPPER (COP)



All of our sinks are backed with a Lifetime Warranty against genuine material and manufacturing defects\*.



sen45 SHOWN IN GUNMETAL WITH HS945 TAP IN GUNMETAL

#### sen45/16 16MM LIP SENSA MID BOWL UNDERMOUNT



- 490mm x 440mm overall size, 175mm deep bowl
- 450mm x 400mm internal bowl size
- SS304 (1.0mm) steel, powder coated underside
- Supplied complete with waste and hygienic overflow
- Minimum cabinet width required 600mm
- Waste disposal compatible
- Uses ukh039/60 plumbing kits (page 129)



#### sen70/16 16MM LIP SENSA LARGE BOWL UNDERMOUNT



- 720mm x 440mm overall size, 175mm deep bowl
- 680mm x 400mm internal bowl size
- SS304 (1.0mm) steel, powder coated underside
- Supplied complete with waste and hygienic overflow
- Minimum cabinet width required 800mm
- Waste disposal compatible
- Uses ukh039/60 plumbing kits (page 129)



# undermount steel

26MM LIP 'ZERO' (0MM) INTERNAL CORNER RADIUS

sensa series • sen21/26 • sen45/26 • sen70/26

The hand fabricated SENSE range are available in a choice of four colours including PVD gunmetal, copper and gold/brass finishes along with a stainless steel option in SS304 premium steel.

26MM LIP BOWLS TO BE USED WITH SURFACE MATERIALS SUCH AS QUARTZ, STONE OR CERAMIC.



## HS935 series

### AVAILABLE COLOURS

- MATT BLACK
- GUNMETAL
- COPPER
- GOLD



sen70 SHOWN IN GOLD/BRASS WITH HS935 TAP IN GOLD

### AVAILABLE COLOURS



STAINLESS STEEL (SS)



PVD GUNMETAL (GM)



PVD GOLD/BRASS (G/B)



PVD COPPER (COP)



All of our sinks are backed with a Lifetime Warranty against genuine material and manufacturing defects\*.



**26MM LIP BOWLS TO BE USED WITH SURFACE MATERIALS SUCH AS QUARTZ, STONE OR CERAMIC**



**sen45** SHOWN IN GUNMETAL WITH CARYSIL **minerva**<sup>®</sup> SURFACE IN CALCUTTA WHITE

**sen21/26** 26MM LIP  
SENSA HALF BOWL UNDERMOUNT



- 240mm x 450mm overall size, 120mm deep bowl
- 210mm x 420mm internal bowl size
- SS304 (1.0mm) steel, powder coated underside
- Supplied complete with waste and hygienic overflow
- Minimum cabinet width required 300mm
- Waste disposal compatible
- Uses ukh039/60 plumbing kits (page 129)



**sen45/26** 26MM LIP  
SENSA MID BOWL UNDERMOUNT



- 480mm x 450mm overall size, 175mm deep bowl
- 450mm x 420mm internal bowl size
- SS304 (1.0mm) steel, powder coated underside
- Supplied complete with waste and hygienic overflow
- Minimum cabinet width required 600mm
- Waste disposal compatible
- Uses ukh039/60 plumbing kits (page 129)



**sen70/26** 26MM LIP  
SENSA LARGE BOWL UNDERMOUNT



- 710mm x 450mm overall size, 175mm deep bowl
- 680mm x 420mm internal bowl size
- SS304 (1.0mm) steel, powder coated underside
- Supplied complete with waste and hygienic overflow
- Minimum cabinet width required 800mm
- Waste disposal compatible
- Uses ukh039/60 plumbing kits (page 129)



**minerva**<sup>®</sup>

Photograph with gunmetal sink is shown with minerva<sup>®</sup> surfaces available at [carysil.co.uk](http://carysil.co.uk)

**CARYSIL**  
SURFACES

PLUMBING KITS ARE SHOWN ON  
PAGE 129

# undermount/inset steel 'ZERO' (0MM) INTERNAL CORNER RADIUS

cube series • sqi01 • sqi10 • sqi04 • sqi25 • sqi06LH/RH • sqi07LH/RH • sqi12 • sqi09 • sqi05

The QUBE range of 'zero' (0mm) radius bowls are fabricated and finished by hand to ensure both accuracy and quality. Manufactured from 1.0mm surgical grade SS304 brushed steel and finished perfectly on the underside with a special sound and heat reducing coating, they are produced to exacting standards.

The combination and flexibility of our large and compact double bowl options ensures a model to suit all needs.



sqi25 SHOWN WITH HS925 TAP  
IN GRAPHITE/CHROME




sqi12 SHOWN WITH HS945 TAP IN CHROME





sqi05 SHOWN WITH HS925 TAP IN BLACK/CHROME



sqi04  
SHOWN WITH HS1075 TAP IN CHROME



All of our sinks are backed with a Lifetime Warranty against genuine material and manufacturing defects\*.

PLUMBING KITS ARE  
SHOWN ON PAGE 129

# undermount/inset steel 'ZERO' (0MM) INTERNAL CORNER RADIUS

qube series • sqi01 • sqi10 • sqi04 • sqi25 • sqi06LH/RH • sqi07LH/RH • sqi12 • sqi09 • sqi05

## sqi06LH

QUBE (LH main bowl) 1.5 BOWL  
UNDERMOUNT OR INSET



## sqi06RH

QUBE (RH main bowl) 1.5 BOWL  
UNDERMOUNT OR INSET



- 560mm x 430mm overall size, 190mm deep main bowl
- Internal 340mm x 400mm (main bowl), 160mm x 300mm (small bowl)
- SS304 (1.0mm) steel, powder coated underside
- Supplied complete with wastes and hygienic overflow
- Minimum cabinet width required 600mm
- Waste disposal compatible
- Uses ukh040/61 plumbing kits (page 129)



PLUMBING KITS ARE  
SHOWN ON PAGE 129





## sqi01

QUBE HALF BOWL  
UNDERMOUNT OR INSET



- 210mm x 430mm overall size, 140mm deep bowl
- Internal 180mm x 400mm bowl
- ss304 (1.0mm) steel, powder coated underside
- Supplied complete with wastes and hygienic overflow
- Minimum cabinet width required 300mm
- Waste disposal compatible
- Uses ukh039/60 plumbing kits (page 129)



## sqi10

QUBE COMPACT SINGLE BOWL  
UNDERMOUNT OR INSET



- 430mm x 430mm overall size, 200mm deep bowl
- Internal 400mm x 400mm bowl
- ss304 (1.0mm) steel, powder coated underside
- Supplied complete with waste and hygienic overflow
- Minimum cabinet width required 450mm
- Waste disposal compatible
- Uses ukh039/60 plumbing kits (page 129)



## sqi04

QUBE LARGE SINGLE BOWL  
UNDERMOUNT OR INSET



- 530mm x 430mm overall size, 200mm deep bowl
- Internal 500mm x 400mm bowl
- ss304 (1.0mm) steel, powder coated underside
- Supplied complete with waste and hygienic overflow
- Minimum cabinet width required 600mm
- Waste disposal compatible
- Uses ukh039/60 plumbing kits (page 129)



## sqi25

QUBE SUPER LARGE SINGLE BOWL  
UNDERMOUNT OR INSET



- 730mm x 430mm overall size, 200mm deep bowl
- Internal 700mm x 400mm bowl
- ss304 (1.0mm) steel, powder coated underside
- Supplied complete with waste and hygienic overflow
- Minimum cabinet width required 800mm
- Waste disposal compatible
- Uses ukh039/60 plumbing kits (page 129)



## sqi07LH/RH

QUBE (LH or RH main bowl)  
1.5 BOWL UNDERMOUNT OR INSET



left hand  
main bowl

- 580mm x 430mm overall size, 200mm deep main bowl
- Internal 340mm x 400mm (main bowl), 180mm x 400mm (small bowl)
- ss304 (1.0mm) steel, powder coated underside
- Supplied complete with wastes and hygienic overflow
- Minimum cabinet width required 600mm
- Waste disposal compatible
- Uses ukh040/61 plumbing kits (page 129)



## sqi12

QUBE (LH main bowl) 1.5 BOWL  
UNDERMOUNT OR INSET



- 740mm x 430mm overall size, 200mm deep main bowl
- Internal 500mm x 400mm (main bowl), 180mm x 400mm (small bowl)
- ss304 (1.0mm) steel, powder coated underside
- Supplied complete with wastes and hygienic overflow
- Minimum cabinet width required 800mm
- Waste disposal compatible
- Uses ukh040/61 plumbing kits (page 129)



## sqi09

QUBE DOUBLE BOWL  
UNDERMOUNT OR INSET



- 860mm x 430mm overall size, 200mm deep bowls
- 2 x Internal 400mm x 400mm (main bowls)
- ss304 (1.0mm) steel, powder coated underside
- Supplied complete with wastes and hygienic overflow
- Minimum cabinet width required 900mm
- Waste disposal compatible
- Uses ukh040/61 plumbing kits (page 129)



## sqi05

QUBE (LH main bowl) 1.5 BOWL  
UNDERMOUNT OR INSET



- 890mm x 430mm overall size, 200mm deep main bowl
- Internal 650mm x 400mm (main bowl), 180mm x 400mm (small bowl)
- ss304 (1.0mm) steel, powder coated underside
- Supplied complete with wastes and hygienic overflow
- Minimum cabinet width required 900mm
- Waste disposal compatible
- Uses ukh040/61 plumbing kits (page 129)



# undermount/inset steel 'ZERO' (0MM) INTERNAL CORNER RADIUS

cube series • sqi01 • sqi10 • sqi04 • sqi25 • sqi07REV

The QUBE range of 'zero' (0mm) bowls are fabricated and finished by hand to ensure both accuracy and quality, manufactured from 1.0mm medical grade ss304 brushed steel and finished perfectly on the underside with a special sound and heat reducing coating they are produced to exacting standards. Available in a choice of three colours including PVD gunmetal, copper and gold/brass finishes. Supplied with matching coloured waste/s and overflow.

## AVAILABLE COLOURS



PVD GUNMETAL (GM)



PVD GOLD/BRASS (G/B)



PVD COPPER (COP)

## INSET SETTING

### sqi07REV

SHOWN IN GUNMETAL (INCLUDING GUNMETAL WASTES & OVERFLOW) AND HS935 TAP IN GUNMETAL



## UNDERMOUNT SETTING





**QUBE SERIES SQi PVD COLOURED SINKS ARE AVAILABLE IN THE FOLLOWING SIZES (SEE PAGES 64-65 FOR DETAILS)  
SUPPLIED WITH MATCHING COLOURED WASTE/S AND OVERFLOW**

sqi01



sqi10



sqi04



sqi25



sqi07REV



SQI SINK SPECS  
ARE SHOWN ON  
PAGES 64-65


SQI07REV shares the same specification as SQI07LH/RH  
but is reversible and has a central waste

INSET  
SETTING




sqi10 SHOWN IN GOLD/BRASS (INCLUDING GOLD/BRASS  
WASTE & OVERFLOW) AND HS195 TAP IN GOLD

UNDERMOUNT  
SETTING



sqi04 SHOWN IN COPPER (INCLUDING COPPER WASTE &  
OVERFLOW) AND HS945 TAP IN COPPER

INSET  
SETTING



UNDERMOUNT SETTING

# accessories qube series • sqi09les • sqi08ses

These QUBE entertainment sinks are fabricated from 1.0mm surgical grade SS304 brushed steel. They can be inset or undermount alongside any granite or stainless steel sinks and are designed for cooling bottles and providing additional drainer space.



## sqi09les LONG ENTERTAINMENT SINK

- 1000mm x 200mm overall size, 150mm deep main bowl
- Plate rack, cutlery utensil holder & drainer tray included
- SS304 (1.0mm) steel, powder coated underside
- Supplied complete with waste kit



PROVIDES ADDITIONAL  
DRAINER SPACE



PERFECT FOR COOLING BOTTLES



sqi09les SHOWN WITH TD150 TURIN SINK & HS705 TAP IN CHROME




## sqi08ses SHORT ENTERTAINMENT SINK

- 430mm x 190mm overall size, 150mm deep main bowl
- Plate rack, cutlery utensil holder included
- SS304 (1.0mm) steel, powder coated underside
- Supplied complete with waste kit

LIFETIME  
WARRANTY

CE  
APPROVED

UK  
CA



sqi08ses SHOWN WITH SQI10 SINK & HS705 TAP IN CHROME



PERFECT FOR COOLING BOTTLES



PROVIDES ADDITIONAL DRAINER SPACE



# undermount/inset steel 10MM INTERNAL CORNER RADIUS

luca series • sr1011 • sr1014 • sr1012 • sr1013 • sr1023LH/RH • sr1024LH/RH • sr1022LH/RH • sr1024

The LUCA series of 10mm radius undermount/inset sinks are a range of quality pressed steel bowls produced with 'annealed' technology. Manufactured from premium grade stainless steel. These sinks are twice pressed to give a hand fabricated look at a 'pressed' price.

The LUCA range offers a wide choice of bowl sizes and combinations to complement any kitchen and any worksurface.



All of our sinks are backed with a Lifetime Warranty against genuine material and manufacturing defects\*.

PLUMBING KITS ARE SHOWN ON PAGE 129





ALL LUCA SERIES SR10 SINKS ARE AVAILABLE WITH ROUND WASTES AS STANDARD OR OPTIONAL SQUARE WASTES



sr1013 SHOWN WITH HS925 TAP IN GRAPHITE/BRUSHED STEEL



sr1012 & sr1011 SHOWN WITH HS925 TAP IN GRAPHITE/BRUSHED STEEL



# undermount/inset steel 10MM INTERNAL CORNER RADIUS

luca series • sr1011 • sr1014 • sr1012 • sr1013 • sr1023LH/RH • sr1021LH/RH • sr1022LH/RH • sr1024



sr1012

SHOWN WITH HS925 TAP IN  
WHITE/BRUSHED STEEL



PLUMBING KITS ARE SHOWN ON PAGE 129



## sr1011

LUCA HALF BOWL  
UNDERMOUNT OR INSET



- 220mm x 440mm overall size, 125mm deep bowl
- Internal 180mm x 400mm bowl
- SS304 (1.0mm) steel, powder coated underside
- Supplied complete with waste and hygienic overflow
- Minimum cabinet width required 300mm
- Waste disposal compatible
- Uses ukh039/60 plumbing kits (page 129)



## sr1014

LUCA COMPACT SINGLE BOWL  
UNDERMOUNT OR INSET



- 380mm x 440mm overall size, 190mm deep bowl
- Internal 340mm x 400mm bowl
- SS304 (1.0mm) steel, powder coated underside
- Supplied complete with waste and hygienic overflow
- Minimum cabinet width required 450mm
- Waste disposal compatible
- Uses ukh039/60 plumbing kits (page 129)



## sr1012

LUCA LARGE SINGLE BOWL  
UNDERMOUNT OR INSET



- 450mm x 440mm overall size, 190mm deep bowl
- Internal 410mm x 400mm bowl
- SS304 (1.0mm) steel, powder coated underside
- Supplied complete with waste and hygienic overflow
- Minimum cabinet width required 500mm
- Waste disposal compatible
- Uses ukh039/60 plumbing kits (page 129)



## sr1013

LUCA SUPER LARGE SINGLE BOWL  
UNDERMOUNT OR INSET



- 590mm x 440mm overall size, 190mm deep bowl
- Internal 550mm x 400mm bowl
- SS304 (1.0mm) steel, powder coated underside
- Supplied complete with waste and hygienic overflow
- Minimum cabinet width required 600mm
- Waste disposal compatible
- Uses ukh039/60 plumbing kits (page 129)



## sr1023LH/RH

LUCA COMPACT (LH or RH main bowl)  
1.5 BOWL UNDERMOUNT OR INSET



left hand main bowl shown

- 590mm x 440mm overall size, 184mm deep main bowl
- Internal 340mm x 400mm (main bowl), 180mm x 400mm (small bowl)
- SS304 (1.0mm) steel, powder coated underside
- Supplied complete with wastes and hygienic overflow
- Minimum cabinet width required 600mm
- Waste disposal compatible
- Uses ukh040/61 plumbing kits (page 129)



## sr1021LH/RH

LUCA MEDIUM (LH or RH main bowl)  
1.5 BOWL UNDERMOUNT OR INSET



left hand main bowl shown

- 660mm x 440mm overall size, 190mm deep main bowl
- Internal 410mm x 400mm (main bowl), 180mm x 400mm (small bowl)
- SS304 (1.0mm) steel, powder coated underside
- Supplied complete with wastes and hygienic overflow
- Minimum cabinet width required 700mm
- Waste disposal compatible
- Uses ukh040/61 plumbing kits (page 129)



## sr1022LH/RH

LUCA LARGE (LH or RH main bowl)  
1.5 BOWL UNDERMOUNT OR INSET



left hand main bowl shown

- 800mm x 440mm overall size, 190mm deep main bowl
- Internal 550mm x 400mm (main bowl), 180mm x 400mm (small bowl)
- SS304 (1.0mm) steel, powder coated underside
- Supplied complete with wastes and hygienic overflow
- Minimum cabinet width required 900mm
- Waste disposal compatible
- Uses ukh040/61 plumbing kits (page 129)



## sr1024

LUCA DOUBLE BOWL  
UNDERMOUNT OR INSET



- 750mm x 440mm overall size, 190mm deep bowls
- 2 x Internal 340mm x 400mm (main bowls)
- SS304 (1.0mm) steel, powder coated underside
- Supplied complete with wastes and hygienic overflow
- Minimum cabinet width required 800mm
- Waste disposal compatible
- Uses ukh040/61 plumbing kits (page 129)



# undermount/inset steel 15MM INTERNAL CORNER RADIUS

quadrus series • sr1501 • sr1510 • sr1504 • sr1525 • sr1507LH/RH • sr1512 • sr1505 • sr1509

The QUADRUS range of 15mm bowls are fabricated and finished by hand to ensure both accuracy and quality. Manufactured from 1.0mm surgical grade SS304 brushed steel and finished perfectly on the underside, with a special sound and heat reducing coating they are produced to exacting standards.

The combination and flexibility of our large and compact double bowl options ensure a model to suit all needs.



All of our sinks are backed with a Lifetime Warranty against genuine material and manufacturing defects\*.

PLUMBING KITS ARE SHOWN ON PAGE 129



sr1512 SHOWN WITH HS925 TAP IN BLACK/CHROME



sr1525 SHOWN WITH HS1075 TAP IN CHROME



ukh039

SINGLE BOWL PLUMBING KIT



- Twin appliance inlets
- Suits all singular bowls
- UK compatible



ukh040

2 BOWL PLUMBING KIT



- Twin appliance inlets
- Suits all double bowl models
- UK compatible



SPACE SAVER UKH060/61 PLUMBING KITS  
ARE SHOWN ON PAGE 129

# undermount/inset steel 15MM INTERNAL CORNER RADIUS

quadrus series • sr1501 • sr1510 • sr1504 • sr1525 • sr1507LH/RH • sr1512 • sr1505 • sr1509



sr1501  
QUADRUS HALF BOWL  
UNDERMOUNT OR INSET

- 210mm x 430mm overall size, 140mm deep bowl
- Internal 180mm x 400mm bowl
- SS304 (1.0mm) steel, powder coated underside
- Supplied complete with waste and hygienic overflow
- Minimum cabinet width required 300mm
- Waste disposal compatible
- Uses ukh039/60 plumbing kits (page 129)



sr1504  
QUADRUS LARGE SINGLE BOWL  
UNDERMOUNT OR INSET



- 530mm x 430mm overall size, 200mm deep bowl
- Internal 500mm x 400mm bowl
- SS304 (1.0mm) steel, powder coated underside
- Supplied complete with waste and hygienic overflow
- Minimum cabinet width required 600mm
- Waste disposal compatible
- Uses ukh039/60 plumbing kits (page 129)



sr1507RH SHOWN WITH HS925 TAP IN CHROME



## sr1510

QUADRUS COMPACT SINGLE BOWL  
UNDERMOUNT OR INSET



- 430mm x 430mm overall size, 200mm deep bowl
- Internal 400mm x 400mm bowl
- SS304 (1.0mm) steel, powder coated underside
- Supplied complete with waste and hygienic overflow
- Minimum cabinet width required 450mm
- Waste disposal compatible
- Uses ukh039/60 plumbing kits (page 129)



## sr1507LH/RH

QUADRUS (LH or RH main bowl) 1.5 BOWL  
UNDERMOUNT OR INSET



left hand  
main bowl

- 580mm x 430mm overall size, 200mm deep main bowl
- Internal 340mm x 400mm (main bowl), 180mm x 400mm (small bowl)
- SS304 (1.0mm) steel, powder coated underside
- Supplied complete with wastes and hygienic overflow
- Minimum cabinet width required 600mm
- Waste disposal compatible
- Uses ukh040/61 plumbing kits (page 129)



## sr1505

QUADRUS (LH main bowl) 1.5 BOWL  
UNDERMOUNT OR INSET



- 890mm x 430mm overall size, 200mm deep main bowl
- Internal 650mm x 400mm (main bowl), 180mm x 400mm (small bowl)
- SS304 (1.0mm) steel, powder coated underside
- Supplied complete with wastes and hygienic overflow
- Minimum cabinet width required 900mm
- Waste disposal compatible
- Uses ukh040/61 plumbing kits (page 129)



## sr1525

QUADRUS SUPER LARGE SINGLE BOWL  
UNDERMOUNT OR INSET



- 730mm x 430mm overall size, 200mm deep bowl
- Internal 700mm x 400mm bowl
- SS304 (1.0mm) steel, powder coated underside
- Supplied complete with waste and hygienic overflow
- Minimum cabinet width required 800mm
- Waste disposal compatible
- Uses ukh039/60 plumbing kits (page 129)



## sr1512

QUADRUS (LH main bowl) 1.5 BOWL  
UNDERMOUNT OR INSET



- 740mm x 430mm overall size, 200mm deep main bowl
- Internal 500mm x 400mm (main bowl), 180mm x 400mm (small bowl)
- SS304 (1.0mm) steel, powder coated underside
- Supplied complete with wastes and hygienic overflow
- Minimum cabinet width required 800mm
- Waste disposal compatible
- Uses ukh040/61 plumbing kits (page 129)



## sr1509

QUADRUS DOUBLE BOWL  
UNDERMOUNT OR INSET



- 860mm x 430mm overall size, 200mm deep bowls
- 2x Internal 400mm x 400mm (main bowls)
- SS304 (1.0mm) steel, powder coated underside
- Supplied complete with wastes and hygienic overflow
- Minimum cabinet width required 900mm,
- Waste disposal compatible
- Uses ukh040/61 plumbing kits (page 129)



# undermount steel

25MM INTERNAL CORNER RADIUS  
rhombus series • um1022 • um1030 • um1023 • um1024 • um1025



SUITABLE  
FOR  
HOT WATER  
TAPS

The RHOMBUS range of 25mm models bring cutting edge technology to tight radius designer bowls. Produced with 'annealed' technology allowing a super tight radius deep pressed bowl, manufactured from surgical grade SS304 brushed steel and featuring a concealed hygienic overflow and a special heat loss sound absorbing covering to the underside of the bowls. The wide choice of double bowl combinations will complement any kitchen and solid surface.

**LIFETIME**  
WARRANTY

All of our sinks are backed with a Lifetime Warranty against genuine material and manufacturing defects\*.



um1022  
RHOMBUS HALF BOWL  
UNDERMOUNT

- 200mm x 340mm overall size, 120mm deep main bowl
- Internal 160mm x 300mm bowl
- SS304 (0.8mm) steel, powder coated underside
- Supplied complete with waste
- Minimum cabinet width required 300mm
- Waste disposal compatible
- Uses ukh039/60 plumbing kits (page 129)

um2507 SHOWN WITH HS935 TAP IN CHROME

**LIFETIME**  
WARRANTY

CE  
APPROVED

UK  
CA



## um1024 SHOWN WITH HS925 TAP IN CHROME



## um1030

RHOMBUS FULL LENGTH HALF BOWL  
UNDERMOUNT



- 234mm x 450mm overall size, 120mm deep main bowl
- Internal 180mm x 400mm bowl
- SS304 (0.8mm) steel, powder coated underside
- Supplied complete with waste
- Minimum cabinet width required 300mm
- Waste disposal compatible
- Uses ukh039/60 plumbing kits (page 129)



## um1023

RHOMBUS COMPACT SINGLE  
UNDERMOUNT



- 390mm x 450mm overall size, 185mm deep main bowl
- Internal 340mm x 400mm bowl
- SS304 (0.8mm) steel, powder coated underside
- Supplied complete with waste and hygienic overflow
- Minimum cabinet width required 400mm
- Waste disposal compatible
- Uses ukh039/60 plumbing kits (page 129)



## um1024

RHOMBUS LARGE SINGLE HALF BOWL  
UNDERMOUNT



- 530mm x 450mm overall size, 195mm deep main bowl
- Internal 480mm x 400mm bowl
- SS304 (0.8mm) steel, powder coated underside
- Supplied complete with waste and hygienic overflow
- Minimum cabinet width required 600mm
- Waste disposal compatible
- Uses ukh039/60 plumbing kits (page 129)



## um1025

RHOMBUS SUPER LARGE SINGLE  
BOWL UNDERMOUNT



- 700mm x 450mm overall size, 200mm deep main bowl
- Internal 650mm x 400mm bowl
- SS304 (0.8mm) steel, powder coated underside
- Supplied complete with waste and hygienic overflow
- Minimum cabinet width required 800mm
- Waste disposal compatible
- Uses ukh039/60 plumbing kits (page 129)





# undermount steel 25MM INTERNAL CORNER RADIUS

rhombus series • um2501/LH/RH • um2506/LH/RH • um2507 • um2505 • um2502

## um2501

RHOMBUS REVERSIBLE 1.5 BOWL  
UNDERMOUNT



- 580mm x 450mm overall size, 190mm deep main bowl
- Internal 340mm x 400mm (main bowl), 160mm x 300mm (small bowl)
- SS304 (0.8mm) steel, powder coated underside
- Supplied complete with wastes and hygienic overflow
- Minimum cabinet width required 600mm
- Waste disposal compatible
- Uses ukh040/61 plumbing kits (page 129)



PLUMBING KITS ARE SHOWN ON PAGE 129



um2501 reversible SHOWN WITH HS975 TAP IN BRUSHED STEEL



## um2501LH/RH

RHOMBUS (LH or RH main bowl) 1.5 BOWL UNDERMOUNT



left hand  
main bowl

- 580mm x 450mm overall size, 190mm deep main bowl
- Internal 340mm x 400mm (main bowl), 160mm x 300mm (small bowl)
- SS304 (0.8mm) steel, powder coated underside
- Supplied complete with wastes and hygienic overflow
- Minimum cabinet width required 600mm
- Waste disposal compatible
- Uses ukh040/61 plumbing kits (page 129)



## um2506

RHOMBUS REVERSIBLE 1.5 BOWL UNDERMOUNT



- 600mm x 450mm overall size, 180mm deep main bowl
- Internal 340mm x 400mm (main bowl), 180mm x 400mm (half bowl)
- SS304 (0.8mm) steel, powder coated underside
- Supplied complete with wastes and hygienic overflow
- Minimum cabinet width required 600mm
- Waste disposal compatible
- Uses ukh040/61 plumbing kits (page 129)



## um2506LH/RH

RHOMBUS (LH or RH main bowl) 1.5 BOWL UNDERMOUNT



left hand  
main bowl

- 600mm x 450mm overall size, 180mm deep main bowl
- Internal 340mm x 400mm (main bowl), 180mm x 400mm (half bowl)
- SS304 (0.8mm) steel, powder coated underside
- Supplied complete with wastes and hygienic overflow
- Minimum cabinet width required 600mm
- Waste disposal compatible
- Uses ukh040/61 plumbing kits (page 129)



## um2507

RHOMBUS (LH main bowl) 1.5 BOWL UNDERMOUNT



- 740mm x 450mm overall size, 195mm deep main bowl
- Internal 480mm x 400mm (main bowl), 180mm x 400mm (half bowl)
- SS304 (0.8mm) steel, powder coated underside
- Supplied complete with wastes and hygienic overflow
- Minimum cabinet width required 800mm
- Waste disposal compatible
- Uses ukh040/61 plumbing kits (page 129)



## um2505

RHOMBUS (LH main bowl) 1.5 BOWL UNDERMOUNT



- 910mm x 450mm overall size, 200mm deep main bowl
- Internal 650mm x 400mm (main bowl), 180mm x 400mm (half bowl)
- SS304 (0.8mm) steel, powder coated underside
- Supplied complete with wastes and hygienic overflow
- Minimum cabinet width required 1000mm
- Waste disposal compatible
- Uses ukh040/61 plumbing kits (page 129)



## um2502

RHOMBUS DOUBLE BOWL UNDERMOUNT



- 760mm x 450mm overall size, 190mm deep main bowl
- 2 x Internal 340mm x 400mm (main bowls)
- SS304 (0.8mm) steel, powder coated underside
- Supplied complete with wastes and hygienic overflow
- Minimum cabinet width required 800mm
- Waste disposal compatible
- Uses ukh040/61 plumbing kits (page 129)



# undermount steel CLASSIC CORNER RADIUS

classic series • um0001/LH/RH • um0002

The CLASSIC range of models are manufactured from surgical grade SS304 brushed steel. Featuring a concealed hygienic overflow and a special heat loss sound absorbing covering to the underside of the bowls.

CLASSIC style radius, reversible, handed and double bowl flexibility for solid surfaces, a firm favourite.



All of our sinks are backed with a Lifetime Warranty against genuine material and manufacturing defects\*.

## um0001

CLASSIC REVERSIBLE 1.5 BOWL UNDERMOUNT



- 595mm x 460mm overall size, 185mm deep main bowl
- Internal 350mm x 410mm (main bowl), 164mm x 300mm (small bowl)
- SS304 (0.8mm) steel, powder coated underside
- Supplied complete with wastes and hygienic overflow
- Minimum cabinet width required 600mm
- Waste disposal compatible
- Uses ukh040/61 plumbing kits (page 129)



um0001 reversible SHOWN WITH HS935 TAP IN CHROME



um0002 SHOWN WITH HS975 TAP IN BRUSHED STEEL



um0001LH/RH  
CLASSIC (LH or RH main bowl)  
1.5 BOWL UNDERMOUNT



left hand  
main bowl

- 594mm x 460mm overall size, 190mm deep main bowl
- Internal 350mm x 410mm (main bowl),  
164mm x 300mm (small bowl)
- S304 (0.8mm) steel, powder coated underside
- Supplied complete with wastes and hygienic overflow
- Minimum cabinet width required 600mm
- Waste disposal compatible
- Uses ukh040/61 plumbing kits (page 129)

LIFETIME  
WARRANTY

CE  
APPROVED

UK  
CA

um0002  
CLASSIC DOUBLE BOWL UNDERMOUNT



- 780mm x 460mm overall size, 185mm deep bowls
- 2 x Internal 350mm x 410mm (main bowls)
- S304 (0.8mm) steel, powder coated underside
- Supplied complete with wastes and hygienic overflow
- Minimum cabinet width required 800mm
- Waste disposal compatible
- Uses ukh040/61 plumbing kits (page 129)

LIFETIME  
WARRANTY

CE  
APPROVED

UK  
CA

# undermount steel CLASSIC CORNER RADIUS

classic series • um1010 • um1006 • um1009 • fm1011



HS945 TAP AVAILABLE IN CHROME  
OR BRUSHED STEEL

PLUMBING KITS ARE SHOWN  
ON PAGE 129



um1009 SHOWN WITH HS945 TAP IN CHROME



um1006 SHOWN WITH HS925 TAP IN CHROME



um1010  
CLASSIC HALF BOWL  
UNDERMOUNT



- 204mm x 340mm overall size, 100mm bowl
- Internal 164mm x 300mm bowl
- SS304 (0.8mm) steel, powder coated underside  
Supplied complete with waste
- Minimum cabinet width required 300mm
- Waste disposal compatible
- Uses ukh039/60 plumbing kits (page 129)



um1006  
CLASSIC COMPACT SINGLE BOWL  
UNDERMOUNT



- 380mm x 440mm overall size, 185mm bowl
- Internal 350mm x 410mm bowl
- SS304 (0.8mm) steel, powder coated underside
- Supplied complete with waste and hygienic overflow
- Minimum cabinet width required 400mm
- Waste disposal compatible
- Uses ukh039/60 plumbing kits (page 129)



um0009  
CLASSIC LARGE SINGLE BOWL  
UNDERMOUNT



- 530mm x 450mm overall size, 195mm deep bowl
- Internal 480mm x 400mm bowl
- SS304 (0.8mm) steel, powder coated underside
- Supplied complete with waste and hygienic overflow
- Minimum cabinet width required 600mm
- Waste disposal compatible
- Uses ukh039/60 plumbing kits (page 129)



fm1011  
CLASSIC ROUND BOWL  
UNDERMOUNT



- 390mm internal diameter, 180mm deep bowl
- SS304 (0.8mm) steel, powder coated underside
- Supplied complete with waste and overflow
- Minimum cabinet width required 450mm
- Waste disposal compatible
- Uses ukh039/60 plumbing kits (page 129)





# ceramic belfast

## cb/cbflu-sgl WASTE KITS (COLOURED)



ukh057-nyl

- Black 90mm basket strainer



ukh057-bpc

- Black powder coated round overflow



ukh055-pvdcop

- PVD copper 90mm basket strainer & round overflow



ukh055-pvdg/b

- PVD gold/brass 90mm basket strainer & round overflow



ukh055-pvdgm

- PVD gunmetal 90mm basket strainer & round overflow



All of our sinks are backed with a Lifetime Warranty against genuine material and manufacturing defects\*.

MATCHING TAPS ARE SHOWN ON PAGES 122-123

crystal 'belfast style' series • cb-sgl • cbflu-sgl



SUITABLE  
FOR  
HOT WATER  
TAPS

cb-sgl SHOWN WITH HS115SPR TAP WITH SEPARATE  
PULL OUT SPRAY, WASTE & OVERFLOW IN BRUSHED COPPER



## cbflu-sgl

SHOWN WITH HS115SPR  
TAP WITH SEPARATE PULL  
OUT SPRAY, PVD COLOURED  
WASTES & OVERFLOWS



BLACK



BRUSHED BRASS



GUNMETAL



BRUSHED COPPER



cbflu-sgl SHOWN WITH HS115SPR TAP WITH SEPARATE PULL OUT SPRAY,  
WASTE & OVERFLOW IN BRUSHED BRASS

## cb-sgl

CRYSTAL SINGLE BOWL BELFAST SINK



- 595mm x 450mm x 220mm overall size
- FFC (Fine fireclay material) with hygienic glazed surface
- Supplied complete with 90mm waste (chrome finish)
- Minimum cabinet width required 600mm/custom housing
- Waste disposal compatible
- Uses ukh039/60 plumbing kits (page 129)
- +/- 2% tolerance in manufacturing



## cbflu-sgl

CRYSTAL FLUTED SINGLE BOWL BELFAST SINK



- 595mm x 450mm x 220mm overall size
- FFC (Fine fireclay material) with hygienic glazed surface
- Supplied complete with 90mm waste (chrome finish)
- Minimum cabinet width required 600mm/custom housing
- Waste disposal compatible
- Uses ukh039/60 plumbing kits (page 129)
- +/- 2% tolerance in manufacturing



# ceramic belfast

crystal 'belfast style' series • cb-large • cbflu-large



cb-large SHOWN WITH HS135SPR TAP WITH SEPARATE PULL OUT SPRAY  
(SHOWN ON PAGES 126-127), WASTE & OVERFLOW IN BRUSHED COPPER

## cb-large

CRYSTAL LARGE BOWL BELFAST SINK



- 795mm x 498mm x 220mm overall size
- FFC (Fine fireclay material) with hygienic glazed surface
- Supplied complete with 90mm waste (chrome finish)
- Minimum cabinet width required 800mm/custom housing
- Waste disposal compatible
- Uses ukh039/60 plumbing kits (page 129)
- +/- 2% tolerance in manufacturing

LIFETIME  
WARRANTY

CE  
APPROVED

UK  
CA

## cbflu-large

CRYSTAL FLUTED LARGE BOWL BELFAST SINK



- 795mm x 498mm x 220mm overall size
- FFC (Fine fireclay material) with hygienic glazed surface
- Supplied complete with 90mm waste (chrome finish)
- Minimum cabinet width required 800mm/custom housing
- Waste disposal compatible
- Uses ukh039/60 plumbing kits (page 129)
- +/- 2% tolerance in manufacturing

LIFETIME  
WARRANTY

CE  
APPROVED

UK  
CA



cbflu-large SHOWN WITH HS115SPR TAP WITH SEPARATE PULL OUT SPRAY, PVD COLOURED WASTES & OVERFLOWS



match with your chosen tap and kitchen accessories


#### cb/cbflu-large WASTE KITS (COLOURED)



ukh057-nyl  
• Black 90mm basket strainer  
ukh057-bpc  
• Black powder coated round overflow



ukh055-pvdcop  
• PVD copper 90mm basket strainer & round overflow



ukh055-pvdg/b  
• PVD gold/brass 90mm basket strainer & round overflow



ukh055-pvdgm  
• PVD gunmetal 90mm basket strainer & round overflow



All of our sinks are backed with a Lifetime Warranty against genuine material and manufacturing defects\*.



# ceramic belfast

crystal 'belfast style' series • cb-dbl • cbflu-dbl



cb-dbl SHOWN WITH HS125SPR TAP WITH SEPARATE PULL OUT SPRAY, WASTES & OVERFLOWS IN BRUSHED BRASS

## cbflu-dbl

SHOWN WITH HS125SPR  
TAP WITH SEPARATE PULL  
OUT SPRAY, PVD COLOURED  
WASTES & OVERFLOWS







cbflu-dbl SHOWN WITH HS125SPR TAP WITH SEPARATE PULL OUT SPRAY, WASTES & OVERFLOWS IN CHROME

## cb-dbl

CRYSTAL BELFAST DOUBLE BOWL SINK



- 795mm x 500mm x 220mm overall size
- FFC (Fine fireclay material) with hygienic glazed surface
- Supplied complete with 2 x 90mm wastes (chrome finish) and overflows
- Minimum cabinet width required 800mm/custom housing
- Waste disposal compatible
- Uses ukh040/61 plumbing kits (page 129)
- +/- 2% tolerance in manufacturing



## cbflu-dbl

CRYSTAL FLUTED DOUBLE BOWL BELFAST SINK



- 795mm x 500mm x 220mm overall size
- FFC (Fine fireclay material) with hygienic glazed surface
- Supplied complete with 2 x 90mm wastes (chrome finish) and overflows
- Minimum cabinet width required 800mm/custom housing
- Waste disposal compatible
- Uses ukh040/61 plumbing kits (page 129)
- +/- 2% tolerance in manufacturing



## cb/cbflu-dbl WASTE KITS (COLOURED)

MATCHING TAPS ARE SHOWN ON PAGES 124-125




### ukh058-nyl

- Black 90mm basket strainers x 2

### ukh058-bpc

- Black powder coated round overflows x 2




### ukh055-pvdg/b

- PVD gold/brass 2 x 90mm basket strainers & round overflows



### ukh055-pvdcop

- PVD copper 2 x 90mm basket strainers & round overflows



### ukh055-pvdgm

- PVD gunmetal 2 x 90mm basket strainers & round overflows

# ceramic butler

crystal 'butler style' fluted series • ctrad-twin • ctflu-twin



ctrad-twin SHOWN WITH HS135SPR TAP  
WITH SEPARATE PULL OUT SPRAY, WASTES &  
OVERFLOW IN CHROME

## ctrad-twin

CRYSTAL DOUBLE BOWL BUTLER SINK



- 795mm x 500mm x 220mm overall size
- FFC (Fine fireclay material) with hygienic glazed surface
- Supplied complete with 2 x 90mm wastes (chrome finish) and 1 x overflow
- Minimum cabinet width required 800mm/custom housing
- Waste disposal compatible
- Uses ukh040/61 plumbing kits (page 129)
- +/- 2% tolerance in manufacturing



## ctflu-twin

CRYSTAL FLUTED DOUBLE BOWL BUTLER SINK



- 795mm x 500mm x 220mm overall size
- FFC (Fine fireclay material) with hygienic glazed surface
- Supplied complete with 2 x 90mm wastes (chrome finish) and 1 x overflow
- Minimum cabinet width required 800mm/custom housing
- Waste disposal compatible
- Uses ukh040/61 plumbing kits (page 129)
- +/- 2% tolerance in manufacturing





ctflu-twin SHOWN WITH HS135 TAP WITH SEPARATE PULL OUT SPRAY, WASTES & OVERFLOW IN GUNMETAL



cttrad/ctflu-twin WASTE KITS (COLOURED)



ukh058-nyl

- Black 90mm basket strainers x 2

ukh058-bpc

- Black powder coated round overflow



ukh056-pvdcop

- PVD copper 2 x 90mm basket strainers & round overflows



ukh056-pvdg/b

- PVD gold/brass 2 x 90mm basket strainers & round overflows



ukh056-pvdgm

- PVD gunmetal 2 x 90mm basket strainers & round overflows

ctflu-twin SHOWN WITH HS135SPR TAP WITH SEPARATE PULL OUT SPRAY, PVD COLOURED WASTES & OVERFLOW



BLACK



BRUSHED BRASS



GUNMETAL



BRUSHED COPPER

MATCHING TAPS ARE SHOWN ON PAGES 126-127



# ceramic belfast

crystal 'belfast style' series • cb-trad

CRYSTAL BELFAST STYLE sinks with contemporary and traditional styling, each one is unique, hand finished and manufactured from the finest fine fireclay, ultra-smooth, ultra-hard and ultra-hygienic.

Each model features a large deep singular bowl and waste outlets designed to utilise a waste disposal if required, in all a modern twist on a traditional classic.



All of our sinks are backed with a Lifetime Warranty against genuine material and manufacturing defects\*.

## cb-trad

CRYSTAL TRADITIONAL BELFAST SINK



- 595mm x 455mm x 270mm overall size
- FFC (Fine fireclay material) with hygienic glazed surface
- Supplied complete with 90mm waste (chrome finish)
- Minimum cabinet width required 600mm/custom housing
- Waste disposal compatible
- Uses ukh039/60 plumbing kits (page 129)
- +/- 2% tolerance in manufacturing



cb-trad SHOWN WITH HS925 TAP IN CHROME [SHOWN ON PAGES 116-117]



match with your chosen tap and kitchen accessories



### cb-trad WASTE KITS (COLOURED)



ukh057-nyl  
• Black 90mm basket strainer



ukh055-pvdcop  
• PVD copper 90mm basket strainer



ukh055-pvdg/b  
• PVD gold/brass 90mm basket strainer



ukh055-pvdgm  
• PVD gunmetal 90mm basket strainer



All of our sinks are backed with a Lifetime Warranty against genuine material and manufacturing defects\*.

MATCHING TAPS ARE SHOWN ON PAGES 102-103



# personalised sink branding OPTIONS

- waste outlet cover • round overflow cover cap
- rectangular overflow cover cap • tap hole blanking cover

CARYSIL can offer personalised branding options across its complete sink offering.

Waste outlet, overflow covers along with tap hole blanking caps can now be personalised to suit your requirements. Apply a company name or logo or a combination of both.

Create your own brand identity and individualise our entire model offering for your own requirements.

Add your company branding to both sinks & taps to create your own exclusive collection

PERSONALISED TAP BRANDING OPTIONS ARE SHOWN ON PAGES 130-131



wc01 WASTE OUTLET COVER

- stainless steel waste cover
- suits 90mm waste outlet
- suitable for waste disposal
- available plain or with your own company branding



ROC ROUND OVERFLOW COVER CAP

- stainless steel round overflow cover
- available plain or with your own company branding





Add your company branding to create A RANGE OF SINKS exclusively for you and your customers

PERSONALISATION AVAILABLE ON PRODUCTS SHOWN BELOW - PLEASE ASK FOR DETAILS



recOC RECTANGULAR OVERFLOW COVER CAP

- stainless steel rectangular overflow cover
- available plain or with your own company branding



thbc TAP HOLE BLANKING CAP

- stainless steel tap hole blanking cap
- suits all reversible sink models
- available plain or with your own company branding






# accessories

CARYSIL stock and supply a wide range of complementary sink accessories, from chopping boards in wood and glass to half bowl and main bowl colanders.

## ss-fdm

### FOLDING DRAINER MAT

Our universal folding draining mat makes the ideal work partner for either inset or undermount sinks, protecting both your sink and surrounding work surface area.



- Universal folding drainer mat
- Works with all sink models



ss-fdm SHOWN WITH CD100LJDM & HS925 TAP IN CHROME



cb11 CHOPPING BOARD



- FSC approved hard wood chopping board
- Compatible with all round sinks

gcb01 CHOPPING BOARD



- Universal black glass chopping board
- Toughened safety glass



cl13 MAIN BOWL COLANDER



- Main bowl steel colander
- Fits all Qube, Quadrus, Luca & Rhombus sinks

cl03 HALF BOWL COLANDER



- Half bowl steel colander
- Fits Echo et15 sink

cl09 HALF BOWL COLANDER



- Half bowl steel colander
- Fits Easy ea09 sinks
- Fits Classic um0001 sinks

wb11 WIRE BASKET



- Steel wire basket
- Compatible with all round sinks

wb02 WIRE BASKET



- Steel wire basket
- Fits Echo et16 sink

col106 HALF BOWL COLANDER



- Half bowl steel colander
- Fits Turin td150 sinks

col107 HALF BOWL COLANDER



- Half bowl steel colander
- Fits Gavano gd150 sinks

col108 MAIN BOWL COLANDER



- Main bowl steel colander
- Fits all granite sinks

# INTRODUCING OUR 2024/25 **CARYSIL** tap collection

Our Carysil tap collection combines a choice of designs to complement a whole host of sink styles. Whether seeking traditional or contemporary our products provide inspiration, innovation and durability.

## **NEW range of traditional taps** with interchangeable porcelain lever or crosshead handles



**Pull out sprays**  
in chrome or  
brushed steel

AVAILABLE IN

- BLACK • GUNMETAL
- GRAPHITE • WHITE
- CHAMPAGNE





HS145 SERIES



HS140 SERIES



HS150 SERIES



P108

**NEW**  
range of quilt taps  
in 6 body colours

## contents

Taps - What's NEW	100-101
PVD Coloured Taps	102-103
Coloured Taps	104-105
Coloured Spray & Pull Out Spray Taps	106-109
Coloured Quilt Taps	110-115
Single Lever Taps	116-117
Twin Lever Taps	118-121
Coloured Traditional Taps	122-127
Filtered Cold Water	128
Plumbing Kits	129
Personalised Tap Branding & Stands	130-131
Tap Technical Specifications	141-143
Warranty, After Sales Support	144-145



# pvd coloured taps SINGLE & TWIN LEVER



**ALL OUR TAPS CAN DELIVER FILTERED WATER WITH THE ADDITION OF THE HSMAINFILTKIT SHOWN ON PAGE 128**





Our single and twin lever taps are available in contemporary coloured PVD finishes to complement both modern and traditional kitchen styles. We offer a range of coloured wastes and overflows for granite and ceramic sinks to complement these taps. Suitable for water systems with low pressure and above (minimum 0.3 bar), and all with full WRAS approval and benefiting from a 5 year warranty for peace of mind.

**5 YEAR TAP  
WARRANTY**

All of our taps are backed with a 5 Year warranty against material and manufacturing defects, 2 years on surface finish & valves\*.

## HS195 series

- Single lever design with swan neck spout
- Suitable for minimum 0.3 bar pressure or above
- Tap height 384mm, spout reach 189mm
- Flow aerator for controlled water delivery
- 48mm base diameter, 35mm cut-out

## HS935 series

- Twin lever design with swan neck spout
- Suitable for minimum 0.3 bar pressure or above
- Tap height 375mm, spout reach 225mm
- Flow aerator for controlled water delivery
- 54mm base diameter, 35mm cut-out

## HS945 series

- Twin lever design with swan neck spout
- Suitable for minimum 0.3 bar pressure or above
- Tap height 375mm, spout reach 225mm
- Flow aerator for controlled water delivery
- 54mm base diameter, 35mm cut-out

**5 YEAR TAP  
WARRANTY**



## HS195 series



COPPER



GOLD



GUNMETAL



MATT BLACK\*

## HS935 series



COPPER



GOLD



GUNMETAL



MATT BLACK\*

## HS945 series



COPPER



GOLD



GUNMETAL



MATT BLACK\*

\*MATT BLACK IS POWDER COATED



# coloured/chrome or brushed steel taps TWIN LEVER

Our twin lever models are available in BLACK, WHITE and GREY, with either a chrome or brushed steel finish tap body to complement any sink in any material. Suitable for water systems with low pressure and above (minimum 0.3 bar), with full WRAS approval.



HS945  
SHOWN IN BLACK/BRUSHED STEEL



HS935 SHOWN IN WHITE/CHROME



HS945 SHOWN IN GUNMETAL/CHROME



ALL OUR TAPS CAN DELIVER FILTERED WATER WITH THE ADDITION OF THE HSMAINFILTKIT SHOWN ON PAGE 128

## HS935 series CHROME/BRUSHED STEEL 0.3



BLACK/BRUSHED STEEL



BLACK/CHROME



GRAPHITE/BRUSHED STEEL



GRAPHITE/CHROME



WHITE/BRUSHED STEEL



WHITE/CHROME



GUNMETAL/BRUSHED STEEL



GUNMETAL/CHROME

## HS945 series CHROME/BRUSHED STEEL 0.3



BLACK/BRUSHED STEEL



BLACK/CHROME



GRAPHITE/BRUSHED STEEL



GRAPHITE/CHROME



WHITE/BRUSHED STEEL



WHITE/CHROME



GUNMETAL/BRUSHED STEEL



GUNMETAL/CHROME

- Twin lever design with swan neck spout
- Suitable for minimum 0.3 bar pressure or above
- Tap height 375mm, spout reach 225mm
- Flow aerator for controlled water delivery
- 54mm base diameter, 35mm cut out



All of our taps are backed with a 5 Year warranty against material and manufacturing defects, 2 years on surface finish & valves\*.



### WRAS APPROVED

The Water Regulations Advisory Scheme (WRAS) is the UK Water Industry's approval scheme. Our range of WRAS approved taps have been fully tested and are fully compliant with the requirements of the water regulations and byelaws.

# coloured pull out spray taps SINGLE LEVER

Our single lever, pull out spray taps feature coloured hose options, BLACK, WHITE, CHAMPAGNE and GREY. The single lever design body in either a chrome or brushed steel finish complements any style or material of sink. Suitable for water systems with (minimum 0.7 bar and above) and featuring FULL WRAS APPROVAL for complete peace of mind and easy installation.

## 5 YEAR TAP WARRANTY

All of our taps are backed with a 5 Year warranty against material and manufacturing defects, 2 years on surface finish & valves\*.



## WRAS APPROVED

The Water Regulations Advisory Scheme (WRAS) is the UK Water Industry's approval scheme. Our WRAS approved taps have been fully tested and are fully compliant with the requirements of the water regulations and byelaws.



HS925 SHOWN IN BLACK/CHROME WITH TURIN TD100L SINK



ALL OUR TAPS CAN DELIVER FILTERED WATER WITH THE ADDITION OF THE HSMAINFILTKIT SHOWN ON PAGE 128

HS925 series CHROME/BRUSHED STEEL 0.7



GUNMETAL/BRUSHED STEEL



GUNMETAL/CHROME



BLACK/BRUSHED STEEL



BLACK/CHROME



WHITE/BRUSHED STEEL



WHITE/CHROME



CHAMPAGNE/BRUSHED STEEL



CHAMPAGNE/CHROME



HS925 SHOWN IN GRAPHITE/CHROME



HS925 SHOWN IN WHITE/CHROME



GRAPHITE/BRUSHED STEEL



GRAPHITE/CHROME

- Single lever design with pull out hose spray feature
- Suitable for water systems with minimum 0.7 bar pressure
- Tap height 479mm, spout reach 230mm (in fixed position)
- Flow aerator for controlled water delivery
- 50mm base diameter (with base plate fitted) 35mm cut-out
- Full WRAS approval



# coloured vanto pull out spray taps SINGLE LEVER

Our VANTO pull out spray taps complement any sink style or material. Suitable for water systems with (minimum 1 bar and above) and featuring FULL WRAS APPROVAL for complete peace of mind and easy installation.

**5 YEAR TAP WARRANTY**

All of our taps are backed with a 5 Year warranty against material and manufacturing defects, 2 years on surface finish & valves\*.

## HS155 series

1-5

- Single lever design with swan neck spout & spray attachment
- Suitable for minimum 1 bar pressure or above
- Tap height 491.5mm, spout reach 250mm
- 54mm base diameter, 35mm cut out





ALL OUR TAPS CAN DELIVER FILTERED WATER WITH THE ADDITION OF THE HSMAINFILTKIT SHOWN ON PAGE 128

HS155 series  
AVAILABLE IN 6 COLOURS

1-5



CHROME



BRUSHED STEEL



GUNMETAL



COPPER



BRASS



MATT BLACK

HS155 SHOWN IN BRASS



HS155 SHOWN IN COPPER



HS155 SHOWN IN MATT BLACK



# coloured quilt spray taps SINGLE LEVER

Our QUILT spray taps are available in 6 body colours with a choice of 4 silicone tube colours. Suitable for water systems with low pressure and above (minimum 1 bar), with full WRAS approval.

**5 YEAR TAP  
WARRANTY**

All of our taps are backed with a 5 Year warranty against material and manufacturing defects, 2 years on surface finish & valves\*.

AVAILABLE IN 4 x SILICONE TUBE COLOURS



AVAILABLE IN 6 x BASE/BODY COLOURS (SHOWN WITH BLACK SILICONE TUBES)



CHROME



BRUSHED STEEL



GUNMETAL



COPPER



BRASS



MATT BLACK



HS145

SHOWN IN BRUSHED GOLD/BRASS  
WITH LINEN TUBE



ALL OUR TAPS CAN DELIVER FILTERED WATER WITH THE ADDITION OF THE HSMAINFILTKIT SHOWN ON PAGE 128

## HS145 series AVAILABLE IN 6 BASE/BODY COLOURS & 4 x COLOURED TUBES 1-5

- Single lever design with detachable silicone coloured hose
- Magnetic spray attachment with aerator
- Suitable for minimum 1 bar pressure or above
- Tap height 480mm, spout reach 220mm
- 53mm base diameter, 35mm cut out



**5 YEAR TAP  
WARRANTY**

All of our taps are backed with a 5 Year warranty against material and manufacturing defects, 2 years on surface finish & valves\*.



HS145  
SHOWN IN CHROME WITH WHITE TUBE



HS145  
SHOWN IN COPPER WITH GREY TUBE



HS145  
SHOWN IN MATT BLACK WITH MATT BLACK TUBE

# coloured quilt swivel spout taps SINGLE LEVER

Our QUILT swivel spout taps complement any style or material sinks. Suitable for water systems with (minimum 1 bar and above) and featuring FULL WRAS APPROVAL.

**5 YEAR TAP  
WARRANTY**

All of our taps are backed with a 5 Year warranty against material and manufacturing defects, 2 years on surface finish & valves\*.

HS140 SHOWN IN CHROME



HS140 SHOWN IN BRUSHED COPPER






ALL OUR TAPS CAN DELIVER FILTERED WATER WITH THE ADDITION OF THE HSMAINFILTKIT SHOWN ON PAGE 128

## HS140 series

AVAILABLE IN 6 COLOURS

1-5



CHROME




BRUSHED STEEL



GUNMETAL



COPPER



BRASS



MATT BLACK

### HS140 SHOWN IN GUNMETAL



### HS140 SHOWN IN MATT BLACK



## HS140 series

1-5

- Swivel spout with pull out spray attachment
- Suitable for minimum 0.5 bar pressure or above
- Tap height 292mm, spout reach 180mm
- 50mm base diameter, 35mm cut out



**5 YEAR TAP  
WARRANTY**

All of our taps are backed with a 5 Year warranty against material and manufacturing defects, 2 years on surface finish & valves\*.

# coloured quilt bridge mixer taps TWIN LEVER MIXER

Our QUILT bridge mixer taps are available in 6 body colours with a choice of coloured hand wheels and base rings. Suitable for water systems with low pressure and above (minimum 1 bar), with full WRAS approval.

**5 YEAR TAP  
WARRANTY**

All of our taps are backed with a 5 Year warranty against material and manufacturing defects, 2 years on surface finish & valves\*.



**HS150**

SHOWN IN ALL COPPER WITH COPPER HAND WHEELS & BASE RINGS



**HS150**

SHOWN IN MATT BLACK  
WITH COPPER HAND  
WHEELS & BASE RINGS



ALL OUR TAPS CAN DELIVER FILTERED WATER WITH THE ADDITION OF THE HSMAINFILTKIT SHOWN ON PAGE 128

HS150 series AVAILABLE IN 6 COLOURS 1-5



CHROME



BRUSHED STEEL



GUNMETAL



COPPER



BRASS



MATT BLACK

## HS150 series

- Bridge mixer with twin wheels and matching base rings
- Suitable for minimum 1 bar pressure or above
- Tap height 300mm, spout reach 250mm
- 44mm base diameter, 35mm cut out



HS150  
SHOWN IN MATT BLACK WITH GOLD/  
BRASS HAND WHEELS & BASE RINGS

# single lever taps CHROME & BRUSHED STEEL



**ALL OUR TAPS CAN DELIVER FILTERED WATER WITH THE ADDITION OF THE HSMAINFILTKIT SHOWN ON PAGE 128**





Our single lever taps in either a chrome or brushed steel finish complement any style, colour or material of sink. With many suitable for low pressure water systems (0.3 bar or above) and with full WRAS approval together with a 5 year warranty they become the ideal partner to any CARYSIL sink and ensure peace of mind.

#### AVAILABLE COLOURS



CHROME



BRUSHED STEEL



All of our taps are backed with a 5 Year warranty against material and manufacturing defects, 2 years on surface finish & valves\*.

### HS1075 CHROME/BRUSHED STEEL



- Single lever angular design
- Suitable for minimum 0.5 bar pressure or above
- Tap height 321mm, spout reach 222mm
- 50mm base diameter, 35mm cut-out



### HS195 CHROME/BRUSHED STEEL



- Single lever design with swan neck spout
- Suitable for minimum 0.3 bar pressure or above
- Flow aerator for controlled water delivery
- Tap height 384mm, spout reach 189mm
- 48mm base diameter, 35mm cut-out



### HS405 CHROME/BRUSHED STEEL



- Single lever design with "L" neck spout
- Suitable for minimum 0.3 bar pressure or above
- Flow aerator for controlled water delivery
- Tap height 368mm, spout reach 216mm
- 48mm base diameter, 35mm cut-out



### HS205 CHROME/BRUSHED STEEL



- Single lever design
- Suitable for minimum 0.3 bar pressure or above
- Flow aerator for controlled water delivery
- Tap height 164mm, spout reach 221mm
- 54mm base diameter, 35mm cut-out



### HS605 CHROME/BRUSHED STEEL



- Single lever design
- Suitable for minimum 0.3 bar pressure or above
- Flow aerator for controlled water delivery
- Tap height 140mm, spout reach 205mm
- 45mm base diameter, 35mm cut-out



### HS925 CHROME/BRUSHED STEEL



- Single lever design with pull out hose spray feature
- Suitable for water systems with minimum 0.7 bar pressure
- Tap height 479mm, spout reach 230mm (in fixed position)
- Flow aerator for controlled water delivery
- 50mm base diameter (with base plate fitted) 35mm cut-out
- Full WRAS approval





## twin lever taps CHROME & BRUSHED STEEL



**ALL OUR TAPS CAN DELIVER FILTERED WATER WITH THE ADDITION OF THE HSMANFILT KIT SHOWN ON PAGE 128**





Our twin lever models either in chrome or brushed steel finish complement both modern and traditional kitchen styles. Suitable for water systems with low pressure and above (minimum 0.3 bar), and with many with full WRAS approval and benefiting from a 5 year warranty for peace of mind.

#### AVAILABLE COLOURS



CHROME



BRUSHED STEEL

**5 YEAR TAP WARRANTY**

All of our taps are backed with a 5 Year warranty against material and manufacturing defects, 2 years on surface finish & valves\*.

### HS935 CHROME/BRUSHED STEEL



- Twin lever design with swan neck spout
- Suitable for minimum 0.3 bar pressure or above
- Tap height 375mm, spout reach 225mm
- Flow aerator for controlled water delivery
- 54mm base diameter, 35mm cut-out



### HS945 CHROME/BRUSHED STEEL



- Twin lever design with swan neck spout
- Suitable for minimum 0.3 bar pressure or above
- Tap height 378mm, spout reach 225mm
- Flow aerator for controlled water delivery
- 54mm base diameter, 35mm cut-out



### HS975 CHROME/BRUSHED STEEL



- Twin cross lever design with swan neck spout
- Suitable for minimum 0.3 bar pressure or above
- Tap height 375mm, spout reach 225mm
- Flow aerator for controlled water delivery
- 54mm base diameter, 35mm cut-out



### HS955 CHROME/BRUSHED STEEL



- Twin angular lever design with swan neck spout
- Suitable for minimum 0.3 bar pressure or above
- Height to underside of spout 261mm, spout reach 189mm
- Flow aerator for controlled water delivery
- 46mm base diameter, 35mm cut-out



### HS305 CHROME/BRUSHED STEEL



- Twin lever cruciform design with 'J' neck spout
- Suitable for minimum 0.3 bar pressure or above
- Height to underside of spout 223mm, spout reach 224mm
- Flow aerator for controlled water delivery
- 52mm base diameter, 35mm cut-out



### HS175 CHROME/BRUSHED STEEL



- Twin lever design with swan neck spout
- Suitable for minimum 0.3 bar pressure or above
- Tap height 346mm, spout reach 176mm
- Flow aerator for controlled water delivery
- 43mm base diameter, 35mm cut-out





# twin lever taps CHROME & BRUSHED STEEL



**ALL OUR TAPS CAN DELIVER  
FILTERED WATER WITH  
THE ADDITION OF THE  
HSMAINFILTKIT SHOWN  
ON PAGE 128**



Our twin lever models either in chrome or brushed steel finish complement both modern and traditional kitchen styles. Suitable for water systems with low pressure and above (minimum 0.5 bar), and many with full WRAS approval and benefiting from a 5 year warranty for peace of mind.

#### AVAILABLE COLOURS



CHROME



BRUSHED STEEL

**5 YEAR TAP WARRANTY**

All of our taps are backed with a 5 Year warranty against material and manufacturing defects, 2 years on surface finish & valves\*.

### HS965 CHROME/BRUSHED STEEL



- Twin lever angular design
- Suitable for minimum 0.5 bar pressure or above
- Tap height 290mm, spout reach 205mm
- Flow aerator for controlled water delivery
- 50mm base diameter, 35mm cut-out



### HS705 CHROME/BRUSHED STEEL



- Twin lever angled square design
- Suitable for minimum 0.5 bar pressure or above
- Tap height 248mm, spout reach 239mm
- Flow aerator for controlled water delivery
- 40mm base diameter, 35mm cut-out



### HS505 CHROME/BRUSHED STEEL



- Twin lever angled tubular design
- Suitable for minimum 0.5 bar pressure or above
- Tap height 300mm, spout reach 221mm
- Flow aerator for controlled water delivery
- 44mm base diameter, 35mm cut-out



### HS985 CHROME/BRUSHED STEEL



- Twin lever traditional design
- Suitable for minimum 0.5 bar pressure or above
- Tap height 347mm, spout reach 190mm
- Flow aerator for controlled water delivery
- 50mm base diameter, 35mm cut-out



### HS995 CHROME/BRUSHED STEEL



- Twin lever traditional design
- Suitable for minimum 0.5 bar pressure or above
- Tap height 347mm, spout reach 190mm
- Flow aerator for controlled water delivery
- 50mm base diameter, 35mm cut-out





# coloured traditional taps MONOBLOC MIXER



**ALL OUR TAPS CAN DELIVER FILTERED WATER WITH THE ADDITION OF THE HSMAINFILTKIT SHOWN ON PAGE 128**





Our traditional taps are available in six contemporary coloured finishes to complement our range of coloured wastes and overflows for granite and ceramic sinks. They come boxed with two handle options - white porcelain lever and crosshead. Suitable for water systems with low pressure and above (minimum 0.5 bar), and all with full WRAS approved materials and benefiting from a 5 year warranty for peace of mind.

## HS115 series

- Twin lever design with swan neck spout
- White porcelain lever & crosshead handles supplied as standard
- Suitable for minimum 0.5 bar pressure or above
- Tap height 364mm, spout reach 200mm
- 55mm base diameter, 35mm cut out

## HS115SPR series

- Twin lever design with swan neck spout & separate pull out spray attachment
- White porcelain lever & crosshead handles supplied as standard
- Suitable for minimum 0.5 bar pressure or above
- Tap height 364mm, spout reach 200mm
- 55mm base diameter, 35mm cut out

**ALL HS115 & HS115SPR TAPS COME WITH A WHITE PORCELAIN LEVER & CROSSHEAD HANDLE OPTIONS PACKED IN THE BOX AS STANDARD**

## HS115 series MONOBLOC MIXER WITH PORCELAIN LEVER & CROSSHEAD HANDLES 0.5



CHROME



BRUSHED STEEL



BRUSHED BRASS



MATT BLACK



BRUSHED COPPER



GUNMETAL

## HS115SPR series MONOBLOC MIXER & SEPARATE PULL OUT SPRAY WITH PORCELAIN LEVER & CROSSHEAD HANDLES 0.5



CHROME



BRUSHED STEEL



BRUSHED BRASS



MATT BLACK



BRUSHED COPPER



GUNMETAL



All of our taps are backed with a 5 Year warranty against material and manufacturing defects, 2 years on surface finish & valves\*.



### WRAS APPROVED

The Water Regulations Advisory Scheme (WRAS) is the UK Water Industry's approval scheme. Our range of WRAS approved taps have been fully tested and are fully compliant with the requirements of the water regulations and byelaws.



# coloured traditional taps BRIDGE MIXER

HS125SPR WITH SEPARATE PULL OUT SPRAY  
SHOWN IN MATT BLACK



HS125SPR WITH SEPARATE PULL OUT SPRAY  
SHOWN IN BRUSHED BRASS



HS125SPR WITH SEPARATE PULL OUT SPRAY  
SHOWN IN GUNMETAL



**ALL OUR TAPS CAN DELIVER FILTERED WATER WITH THE ADDITION OF THE HSMAINFILTKIT SHOWN ON PAGE 128**

HS125SPR WITH SEPARATE PULL OUT SPRAY  
SHOWN IN CHROME



HS125SPR WITH SEPARATE PULL OUT SPRAY  
SHOWN IN BRUSHED STEEL



HS125SPR WITH SEPARATE PULL OUT SPRAY  
SHOWN IN BRUSHED COPPER





## HS125 series

- Bridge mixer with swan neck spout
- Twin white porcelain lever & crosshead handles supplied as standard
- Suitable for minimum 0.5 bar pressure or above
- Tap height 350mm, spout reach 200mm
- 55mm base diameter, 35mm cut out

## HS125SPR series

- Bridge mixer with swan neck spout & separate pull out spray attachment
- Twin white porcelain lever & crosshead handles supplied as standard
- Suitable for minimum 0.5 bar pressure or above
- Tap height 350mm, spout reach 200mm
- 55mm base diameter, 35mm cut out

**ALL HS125 & HS125SPR TAPS COME WITH A WHITE PORCELAIN LEVER & CROSSHEAD HANDLE OPTIONS PACKED IN THE BOX AS STANDARD**

### HS125 series BRIDGE MIXER WITH PORCELAIN LEVER & CROSSHEAD HANDLES 0.5



CHROME



BRUSHED STEEL



BRUSHED BRASS



MATT BLACK



BRUSHED COPPER



GUNMETAL

### HS125SPR series BRIDGE MIXER & SEPARATE PULL OUT SPRAY WITH PORCELAIN LEVER & CROSSHEAD HANDLES 0.5



CHROME



BRUSHED STEEL



BRUSHED BRASS



MATT BLACK



BRUSHED COPPER



GUNMETAL

**5 YEAR TAP WARRANTY**

All of our taps are backed with a 5 Year warranty against material and manufacturing defects, 2 years on surface finish & valves\*.



#### WRAS APPROVED

The Water Regulations Advisory Scheme (WRAS) is the UK Water Industry's approval scheme. Our range of WRAS approved taps have been fully tested and are fully compliant with the requirements of the water regulations and byelaws.



# coloured traditional taps 3 HOLE MIXER



ALL OUR TAPS CAN DELIVER FILTERED WATER WITH THE ADDITION OF THE HSMAINFILTKIT SHOWN ON PAGE 128





## HS135 series

- 3 hole mixer with swan neck spout
- Twin white porcelain lever & crosshead handles supplied as standard
- Suitable for minimum 0.5 bar pressure or above
- Tap height 350mm, spout reach 200mm
- 55mm base diameter, 35mm cut out

**ALL HS135 & HS135SPR TAPS COME WITH A WHITE PORCELAIN LEVER & CROSSHEAD HANDLE OPTIONS PACKED IN THE BOX AS STANDARD**

## HS135 series 3 HOLE MIXER WITH PORCELAIN LEVER & CROSSHEAD HANDLES 0.5



## HS135SPR series

- 3 hole mixer with swan neck spout & separate pull out spray attachment
- Twin white porcelain lever & crosshead handles supplied as standard
- Suitable for minimum 0.5 bar pressure or above
- Tap height 350mm, spout reach 200mm
- 55mm base diameter, 35mm cut out

## HS135SPR series 3 HOLE MIXER & SEPARATE PULL OUT SPRAY WITH PORCELAIN LEVER & CROSSHEAD HANDLES 0.5



**5 YEAR TAP WARRANTY**

All of our taps are backed with a 5 Year warranty against material and manufacturing defects, 2 years on surface finish & valves\*.



### WRAS APPROVED

The Water Regulations Advisory Scheme (WRAS) is the UK Water Industry's approval scheme. Our range of WRAS approved taps have been fully tested and are fully compliant with the requirements of the water regulations and byelaws.

# filtered cold water



deliver filtered cold water from any standard tap

The Crystal Clarity filter provides bottled quality water from your existing tap. A filter change is only required every six months, depending on water usage. The system is a carbon wrap system which gives a higher flow rate and lower pressure drop than traditional carbon block products. The inline filter will work with both minimum and maximum pressure systems. (Ideally 1-bar or above flow rate). Suitable for all Carysil Collection taps.




*Filtered water offers quality, purity, convenience and will save money in the long term. It's deemed an eco-friendly alternative to bottled water, and benefits from being low maintenance.*

## INSTALLATION & SERVICE

CRYSTAL CLARITY

INSTALLATION SET UP TO  
DELIVER FILTERED COLD WATER  
FROM ANY STANDARD TAP



Dispenses  
• Filtered Cold Water  
• Domestic Hot Water

CRYSTAL CLARITY  
FILTER KIT



HSMANFILKIT  
CRYSTAL CLARITY  
MAINS WATER FILTER KIT

Kit includes:

- Filter Housing & Head
- WRAS approved hoses with push-fit connections x 2
- Universal push-fit adaptors x 2
- Diverter valve
- Base Remover tool
- Crystal Clarity Filter (replacement filters available separately, shown opposite)



CRYSTAL CLARITY

HSREPFILTER  
REPLACEMENT CRYSTAL  
CLARITY FILTER

- Replacement filter for use with HSMANFILKIT Mains Water Filter Kit
- Recommended filter replacement every 6 months depending on water usage



ONE WAY IN WHICH WE ARE  
SUPPORTING ONE OF OUR  
NOMINATED CHARITIES

For every water filter kit & replacement water filter sold, we pledge to make a donation to [wateraid.org](http://wateraid.org)





# plumbing kits

Our specially designed plumbing kits are available in both single bowl and double bowl combinations with twin appliance inlets. They are designed to work perfectly with our UK specified waste fittings.



ukh039  
SINGLE BOWL PLUMBING KIT




- Twin appliance inlets
- Suits all singular bowls
- UK compatible



ukh040  
2 BOWL PLUMBING KIT



- Twin appliance inlets
- Suits all double bowl models
- UK compatible



ukh060  
PLUMBING KIT SINGLE BOWL  
SPACE SAVER WASTE



- Twin appliance inlets
- Space saving design
- Suits all singular bowls
- UK compatible



ukh061  
PLUMBING KIT 2 BOWL  
SPACE SAVER WASTE



- Twin appliance inlets
- Space saving design
- Suits all double bowl models
- UK compatible



# personalised tap branding OPTIONS

Add your own company logo, company name or range name to your CARYSIL COLLECTION of quality mixers in order to create a collection exclusive to you. Our laser logo solution provides a high quality, long lasting branding opportunity for you.

Add your company branding to both sinks & taps to create your own exclusive collection

PERSONALISED SINK BRANDING OPTIONS ARE SHOWN ON PAGES 96-97

**personalise your range of mixer taps with your company branding to create your own exclusive collection**



EXAMPLES OF BRANDING POSITION ON MIXER TAP BASE



EXAMPLES OF BRANDED TAP & SINK WITH BRANDED RECTANGULAR OVERFLOW COVER



# tap stands
















Available to display the entire range of CARYSIL COLLECTION taps within your show area, manufactured from robust fabricated stainless steel with a durable smooth powder coated finish.

Overall size: W595 x H200mm


















tap stands are predrilled to display five taps and have enough space to add your company branding
















# technical SPECIFICATIONS SINKS





































# technical SPECIFICATIONS SINKS





































# technical SPECIFICATIONS SINKS

































# technical SPECIFICATIONS SINKS










# technical SPECIFICATIONS SINKS











# technical SPECIFICATIONS ACCESSORIES



















# technical SPECIFICATIONS TAPS




# technical SPECIFICATIONS TAPS









# technical SPECIFICATIONS TAPS






HS115 (mono mixer lever/crosshead)




HS115SPR (mono mixer lever/crosshead & spray attachment)






HS125 (bridge mixer lever/crosshead)



HS125SPR (bridge mixer lever/crosshead & spray attachment)



HS135 (3 hole mixer lever/crosshead)



HS135SPR (3 hole mixer lever/crosshead & spray attachment)

# buy with confidence with our warranties

---

## **LIFETIME WARRANTY**

All of our sinks are backed with a Lifetime Warranty against genuine material and manufacturing defects\*.

\* limited to first time owner, non-transferable, domestic use only

## **5 YEAR TAP WARRANTY**

All of our taps are backed with a 5 Year warranty against material and manufacturing defects, 2 years on surface finish & valves\*.

\* limited to first time owner, non-transferable, domestic use only

---

## CARE AND MAINTENANCE

All sinks and taps have been manufactured to ensure peace of mind. We recommend washing, rinsing and drying your sink and tap after each use.

Weekly cleaning with a specific sink cleaner is also recommended.

### **Stainless Steel sinks**

Your stainless steel sink is manufactured from high quality SS304 stainless steel. To prolong the life of your sink we recommend daily cleaning and maintenance.

Rinse your sink after every use and use a cloth such as a soft tea towel to DRY the inside of your sink after use. Apply stainless steel cleaner/polish with a non-abrasive cloth or sponge weekly. We recommend using a specific sink cleaner in order to keep your sink looking and performing well.

NEVER USE ABRASIVE MATERIALS, CLOTHS OR CLEANERS on your sink as they have an abrasive affect that can damage and scratch the surface of your sink

Substances containing bleaches and similar chemicals can have an adverse effect on the surface of your sink and damage the finish. If used, ensure they are washed off immediately after use and your sink wiped clean

### **Coloured PVD Steel sinks**

A chemical process called Physical Vapour Deposition (PVD) is applied to the base stainless steel sinks to create a colour (PVD) effect, therefore harsh treatment and scratching upon the surface must be avoided.

Scratching on the surface as with normal stainless steel with occur over time through normal use. Surface scratches cannot be removed and will become less noticeable as your sink ages.

Regular cleaning is the best form of maintenance, little and often is better for the surface finish of your sink rather than a major clean irregularly.

Always rinse the sink after using a cleaning agent and wipe the sink dry with a soft cloth, sponge or tea towel to avoid water spotting and staining.

METALLIC SCOURING PADS AND STEEL WOOL PADS SHOULD NEVER BE USED to clean your sink or any utensils within the sink. They will not only scratch your sink but also leave a residue of small particles that will cause rusting and corrosion damage to your sink.

DO NOT CHOP FOOD DIRECTLY ON THE SINK SURFACE OR PLACE HOT PANS, KETTLES, TEAPOTS, as this too could cause damage to your sink surface.

DO NOT POUR OR USE CHEMICALS on the surface of your sink or flush through pipework, bleach, ammonia, caustic soda, white spirit etc. as they can have a detrimental effect to your sink and its surface. Should your sink come into contact with any of these substances please rinse the area and your entire sink with plenty of water and wipe clean.

Avoid dropping, pulling and extreme contact of utensils, cutlery and crockery on the surface of your sink as they can have an abrasive effect and cause damage.



#### LIFETIME WARRANTY

All of our sinks are backed with a Lifetime Warranty against genuine material and manufacturing defects\*.

\* limited to first time owner, non-transferable, domestic use only

#### 5 YEAR TAP WARRANTY

All of our taps are backed with a 5 Year warranty against material and manufacturing defects, 2 years on surface finish & valves\*.

\* limited to first time owner, non-transferable, domestic use only

## CARE AND MAINTENANCE

All sinks and taps have been manufactured to ensure peace of mind. We recommend washing, rinsing and drying your sink and tap after each use.

Weekly cleaning with a specific sink cleaner is also recommended.

### Granite sinks

Bleach and chlorides are found in almost all cleaning solutions and can be damaging if left on your sink for long periods. Therefore please avoid prolonged contact of these substances as they can damage your sink. Ensure substances such as these are thoroughly rinsed from the sink surface and flushed through pipework immediately after use.

Wipe the sink down after rinsing, and apply a granite sink cleaning liquid to the sink surface on a weekly basis. Remember to always fully rinse and dry your sink.

Hard water areas are susceptible to limescale deposits, however these can be reduced by cleaning the sink thoroughly after every use. A diluted bleach solution can be used to help remove any deposits but remember to rinse and dry your sink thoroughly after applying this method, as any remaining bleach solution may damage the surface.

### Ceramic/Fine Fireclay sinks

Always wipe the sink with warm soapy water and a cloth after use, and dry thoroughly. This will remove general everyday stains from your sink. If using China Rubbers to remove scuff marks from enamel and ceramic, we recommend they are used with washing up liquid.

In hard water areas limescale deposits can build up on the sink and discolour over time. We recommend using 3 parts hot water to 1 part white vinegar to remove this. Simply apply, leave for a few minutes and rinse away with water. If stains become ingrained in the bowl, an overnight soak using diluted biological washing powder should remove the marks easily. Ensure you thoroughly rinse the sink with water afterwards.

DO NOT POUR STRONG CHEMICALS such as bleach, ammonia, caustic soda, white spirit and sterilising solutions into your sink. If this should accidentally happen, quickly wipe away and rinse with plenty of water. Leaving neat bleach in the sink can cause damage to all sinks, even stainless steel. If neat bleach should come into contact with your sink, rinse thoroughly with warm soapy water. Only use a soft cloth for cleaning your sink and never use an abrasive pad or cloth.

Avoid dropping sharp objects into the sink, as this may scratch or damage the surface.

### Taps

All taps should be cleaned with warm soapy water and a cloth. Do not use abrasive powders or scouring pads as they can have an adverse effect on the surface finish of the tap.

Limescale can also have an adverse effect to the workings of your tap. If the nozzle becomes clogged, we recommend cleaning the nozzle with a toothbrush or similar implement to 'brush' away limescale deposits. Periodic removal of the nozzle and soaking in a diluted white vinegar solution can also prolong the life of your tap.

Your tap features state of the art technology; debris, grit and contaminants within the water system should be flushed through the system prior to the installation and commissioning of your tap. This will ensure they do not come into contact or damage/clog the valves within the tap.

A decorative pattern of overlapping hexagons in a light gray color, located on the left side of the page.

# CARYSIL



# CARYSIL

## after sales support

For advice on any product, to report a fault or make a warranty claim please call

**Carysil on 01260 223163** in the first instance.

Alternatively please email us on **warranty@carysil.co.uk**

E & OE Every effort has been made to reproduce colours and materials accurately, however due to the photography and print processes, colour variations may occur. Our policy is one of constant development and improvement, we reserve the right to modify product specifications and/or dimensions without notice. Whilst all information contained within this brochure is as accurate as possible you are advised to check specification, sizing and suitability prior to undertaking installation of your chosen product.



# CARYSIL

carysil.co.uk

Carysil Products Ltd, Ground Floor, Lower Washford Mill, Mill Street, Buglawton, Congleton, Cheshire CW12 2AD

📞 01260 223163 ✉ [sinksales@carysil.co.uk](mailto:sinksales@carysil.co.uk) 🌐 [carysil.co.uk](http://carysil.co.uk)

Issue: 002